

# Exhibit 7

<b>LiveXlive - LiveXlive Web player Infringement of the '609 patent</b>	
<b>Claim 28</b>	<b>Evidence</b>
28. A method of operating a web page, comprising:	<p>The LiveXlive web player performs a method of operating a web page.</p> <p>For example, the LiveXlive web player has functionality to receive user input to create, edit and play custom playlists. [B]</p>
displaying multiple sources of streaming content to a user in a first area of a web page;	<p>The LiveXlive web player displays multiple sources of streaming content. This is displayed to a user in a first area of a web page.</p> <p>For example, the LiveXlive web player groups sources of streaming content into playlists, which are displayed in one area of the LiveXlive web player display. Other sources include: daily recommended tracks, featured songs, and artists, as well as My Library, which is the place where a user can find the user account's saved stations, artists, songs, albums, and playlists. [A] [C]</p>
receiving user input to select a playing order for the sources of streaming content;	<p>The LiveXlive web player receives user input for selecting a playing order of the sources of streaming content.</p> <p>For example, LiveXlive web player enables a user to select a particular playlist to play immediately. Further, the playing order of content within a given playlist can be changed by the user. [A] [B]</p>
storing the playing order;	<p>The LiveXlive web player stores the playing order.</p> <p>For example, the LiveXlive web player supports creating, editing and saving playlists. [B] [C]</p>
and displaying the playing order in a second area of the web page, wherein the multiple sources of streaming content and the playing order are simultaneously viewable in non-overlapping first and second areas;	<p>The LiveXlive web player displays the playing order in a second area of the web page. Multiple sources of streaming content and the playing order are simultaneously viewable in non-overlapping areas.</p> <p>For example, the LiveXlive web player displays the playlists and the content that belongs to the playlist that is being played in respective areas of the LiveXlive web player display. [A]</p>
receiving user input to start delivering the streaming content to the user; and	<p>The LiveXlive web player receives user input to initiate the delivery of streaming content to the user.</p> <p>For example, LiveXlive web player has a user interface that</p>

	can accept user input for starting playback of tracks in a playlist. After first track in a playlist is played the Web player will automatically play the next track in the playlist and so on. [A] [B]
presenting the streaming content to the user in the stored playing order in a third area of the web page.	<p>The LiveXlive web player presents the streaming content to the user in the stored playing order in a third area of the web page</p> <p>For example, LiveXlive web player has a “now playing” area of the LiveXlive web player that displays the content item currently being played. [A]</p>

**References:**

[A] Best Music Streaming Services

<https://www.consumerreports.org/streaming-music-services/best-music-streaming-service-for-you/>

[B] Playlists

<https://support.livexlive.com/hc/en-us/articles/360024648754-Playlists>

[C] My Library

<https://support.livexlive.com/hc/en-us/articles/360024647054-My-Library>