Case 6:20-cv-06263-FPG Document 1-3 Filed 04/23/20 Page 1 of 10

EXHIBIT C

DOCKET A L A R M Find authenticated court documents without watermarks at <u>docketalarm.com</u>.



US006215559B1

(12) **United States Patent** Bryniarski et al.

(54) IMAGE QUEING IN PHOTOFINISHING

- (75) Inventors: Gregory R. Bryniarski; Brian R.
 Wilson, both of Rochester; Lawrence
 J. Bovenzi, Webster, all of NY (US)
- (73) Assignee: Eastman Kodak Company, Rochester, NY (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: 09/127,653
- (22) Filed: Jul. 31, 1998
- (51) Int. Cl.⁷ G06K 15/02; H04N 1/21; H04N 1/23

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,065,661		12/1977	Jarkowsky .	
5,012,409	*	4/1991	Fletcher et al	709/103
5,179,637		1/1993	Nardozzi .	
5,287,194		2/1994	Lobiondo .	
5,402,361		3/1995	Peterson et al	
5,454,107	*	9/1995	Lehman et al	711/153
5,535,322		7/1996	Hecht.	

(10) Patent No.: US 6,215,559 B1

(45) Date of Patent: Apr. 10, 2001

FOREIGN PATENT DOCUMENTS

- 0 744 651 A2 11/1996 (EP).
- * cited by examiner

Primary Examiner-Scott Rogers

(74) Attorney, Agent, or Firm-Gordon M. Stewart; David A. Novais

(57) **ABSTRACT**

A method of processing customer images in a photofinishing apparatus. The method includes obtaining customer image signals and associated requests for image products or services incorporating respective images. The images signals are directed into image queues having different associated formats, based on the associated product or service requested for each. The image signals are communicated from the queues to respective image renderers which render the image signals into the different formats associated with each queue. An apparatus which can execute such a method is also provided.

23 Claims, 2 Drawing Sheets



Α





DOCKET A L A R M Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

IMAGE QUEING IN PHOTOFINISHING

FIELD OF THE INVENTION

This invention relates to images, and in particular to the printing or other output of images in a photofinishing apparatus.

BACKGROUND OF THE INVENTION

In conventional photofinishing laboratories a user 10 (sometimes referenced as a customer), delivers one or more film rolls carrying corresponding exposed films, to a processing laboratory to have them chemically developed and hardcopies of the images (such as paper prints or slides) prepared. A "photofinishing laboratory" will be understood 15 to include a "photofinishing apparatus". The user can include an individual or a retail store. Individual films are often spliced together end to end to form a larger roll which is easily handled by automated equipment. Following chemical processing of the roll to yield permanent images 2.0 from the latent images on the films, each image is scanned at high speed to obtain image characteristics, such as color and density. These characteristics are passed to an optical printer which uses the characteristic data to adjust exposure conditions (such as exposure time, color balance, and the 25 like) of an image frame on the developed film which is optically projected onto a photosensitive paper. The exposed photosensitive paper is then chemically developed to yield the final hardcopy prints. When the customer order is completed, each film is cut into strips (for 35 mm film) or 30 reattached to a film cassette (for Advanced Photo System films), the exposed paper (when prints are made) is cut into individual prints, and the film, completed prints and any other media (such as a disk bearing scanned images, or mounted slides) are packaged at a finishing station and the 35 method of processing customer images in a photofinishing order is then complete.

In a modern photofinishing laboratory, images may optionally also be scanned to provide an image signal corresponding to each image on the film. These image signals are usually stored on a medium such as a magnetic 40 or optical disk and provided to the customer, or made available to the customer over a network such as the Internet, and may be used then or at a later time to provide a hardcopy output. Recently it has been described that in the foregoing type of photofinishing operation, the optical 45 printer can be replaced with a digital printer which will print the images directly from the scanned data, following enhancements or other manipulations to the scanned images.

Photofinishing laboratories using scanners and digital printers provide more versatility in correcting or enhancing 50 (either automatically or in accordance with customer requests) customer images. Furthermore, they allow for the possibility of multiple products, and/or services, incorporating one or more images from a customer order (such products or services are sometimes referenced as "image 55 products" and "image services"). Such image products can include, for example, prints of different sizes, T-shirts incorporating images, or cups, plates or other items carrying one or more customer images, as well as magnetic or optical discs carrying the images (in this case, in the form of image 60 signals). Such image services can include, for example, uploading the images to a specified location through a network, such a the Internet. However, different image products or image services may require different image processing (sometimes referenced as image "rendering" in 65 this application) of the image signals so that the processed image signals are in a format suitable for the different output

devices required to provide the image product or image service (for example, different type and size of printers, or modems). For example, an ink jet printer may not produce the same colors from a given image signal as a laser printer using photosensitive paper. Consequently, different image rendering may be required for different output devices (in the foregoing example, different color correction algorithms may be applied). Any necessary rendering can be done in accordance with appropriate algorithms operating in one or more parallel programmed general purpose image proces-

However, for such digital photofinishing laboratories to produce outputs which are comparable to conventional optical prints can require resolutions of at about 2000 by 2000 pixels or more. Thus, each uncompressed consumer image can readily result in a file of about 12 or more megabytes in size. In photofinishing laboratories, images can readily be scanned from customer orders at a rate of 200 images per minute or greater. This means that the laboratory must be able to route image data rates from scanners to image renderers and to output devices, in the multiple gigabyte or higher per minute rate. Clearly, efficiency of image rendering and cost become important factors at such high data rates. When multiple general purpose image renderers are required to switch from one format of image rendering to the next, this can slow the overall process down unless

It would be desirable then, to provide in a photofinishing apparatus and method, a means by which multiple different image formats can be rapidly and efficiently obtained, without undue cost.

SUMMARY OF THE INVENTION

The present invention then, provides in one aspect, a apparatus. The method includes obtaining customer image signals and associated requests for image products or services incorporating respective images. The images signals are directed into image queues having different associated formats, based on the associated product or service requested for each. The image signals are communicated from the queues to respective image renderers which render the image signals into the different formats associated with each queue. The method may additionally include forwarding the rendered images, from the renderers to respective output devices. Another aspect of the method of the invention may additionally include communicating some of the image signals from multiple queues to the same rendering device which renders the image signals from the different queues into the different formats associated with each queue. In this case, the same rendering device can receive image signals from different ones of the queues according to various methods, such as from the queues in a sequential manner (that is, one image from one queue with which it communicates, then a next image from a next queue, and so on), or from one of the queues until that queue is empty then from a next queue until that queue is empty and so on. Optionally, image signals from at least one of the queues are communicated to multiple rendering devices each of which receives image signals from only the at least one queue, and each of which renders the image signals into the format associated with the at least one queue.

A renderer can obtain images from a corresponding queue according to various routines, but preferably by "pulling" an image from the queue. That is, an image renderer may retrieve images from respective queues as the renderer becomes available to render a next image.

Find authenticated court documents without watermarks at docketalarm.com.

DOCKET



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

