

ISSN 1530-5627

Volume 6, Number 3 Fall 2000

# Telemedicine

J O U R N A L

## *and e-Health*

### Editor-in-Chief

Rashid L. Bashshur, Ph.D.

### Senior Editors

Mark A. Goldberg, M.D.

Jim Grigsby, Ph.D.

J. O'D. McGee, M.D., Ph.D.

Ronald K. Poropatich, M.D.

Jay H. Sanders, M.D.

Full Text Online: [www.liebertonline.com](http://www.liebertonline.com)



The Official Journal  
of the American  
Telemedicine Association



Mary Ann Liebert, Inc. publishers

**DOCKET**  
**A L A R M**

Find authenticated court documents without watermarks at [docketalarm.com](http://docketalarm.com).

# Telemedicine JOURNAL and e-Health

RECEIVED

NOV 29 2000

TUFTS HEALTH SCI LIB

The Official Publication of the American Telemedicine Association

## EDITOR-IN-CHIEF

RASHID L. BASHSHUR, Ph.D.  
*Director of Telemedicine  
Office of Clinical Affairs  
The University of Michigan Health System  
C201 Medinn Building  
1500 East Medical Center Drive  
Ann Arbor, MI 48109-0825  
(734) 647-3089  
Fax: (734) 936-9406*

## SENIOR EDITORS

MARK A. GOLDBERG, M.D.  
*PAREXEL International Corporation  
Waltham, MA*

JIM GRIGSBY, Ph.D.  
*University of Colorado  
Health Sciences Center  
Denver, CO*

J. O'D. MCGEE, M.D., Ph.D.  
*University of Oxford  
England*

RONALD K. POROPATICH, M.D.  
*Walter Reed Army Medical Center  
Washington, DC*

JAY H. SANDERS, M.D.  
*The Global Telemedicine Group  
McLean, VA*

## EDITORIAL BOARD

Michael J. Ackerman, Ph.D.  
*High Performance Computing  
and Communications  
National Library of Medicine  
Bethesda*

Ace Allen, M.D.  
*Telemedicine Today  
Overland Park, KS*

Julian E. Bailes, M.D.  
*Allegheny General Hospital  
Pittsburgh*

Kay A. Ball, R.N., M.S.A.  
*K&D Medical, Inc.  
Lewis Center, OH*

Stephen Black-Schaffer, M.D.  
*Massachusetts General Hospital  
Boston*

James E. Brick, M.D.  
*West Virginia University School  
of Medicine  
Morgantown*

Anne E. Burdick, M.D., M.P.H.  
*University of Miami School of  
Medicine*

Michael E. DeBakey, M.D.  
*Baylor College of Medicine  
Houston*

C. Forbes Dewey, Jr., Ph.D.  
*Massachusetts Institute of  
Technology  
Cambridge*

Samuel J. Dwyer III, Ph.D.  
*University of Virginia Health  
Sciences Center  
Charlottesville*

Al M. Elsayed, M.D.  
*Wright-Patterson Medical Center  
Dayton, OH*

Earl W. Ferguson, M.D., Ph.D.  
*Southern Sierra Medical Center  
Ridgecrest, CA*

Robert M. Filler, M.D.  
*Hospital for Sick Children  
Toronto*

David A. Forsberg, M.D.  
*Team Health/MedPartners  
Knoxville, TN*

Robert A. Greenes, M.D., Ph.D.  
*Harvard Medical School  
Boston*

Honorable A. Max House, M.D.  
*Lieutenant Governor  
of Newfoundland*

Penny Jennett, Ph.D.  
*University of Calgary  
Faculty of Medicine  
Canada*

Hooshang Kangarloo, M.D.  
*UCLA School of Medicine*

Yongmin Kim, Ph.D.  
*University of Washington  
Seattle*

Harold M. Koenig, M.D.  
*Vice Admiral, Medical Corps  
United States Navy, Ret.*

David Mendez, Ph.D.  
*University of Michigan  
Ann Arbor*

Seong K. Mun, Ph.D.  
*Georgetown University Medical  
Center  
Washington, DC*

Arnauld E. Nicogossian, M.D.  
*NASA Headquarters  
Washington, DC*

Michele M. Nypaver, M.D.  
*University of Michigan Health  
System  
Ann Arbor*

Steinar Pedersen, M.D.  
*University Hospital of Tromsø  
Norway*

Douglas A. Perednia, M.D.  
*Telemedicine Research Center  
Portland*

Dena Puskin, Sc.D.  
*Office for the Advancement of  
Telehealth  
Rockville*

Michael Ricci, M.D.  
*Fletcher-Allen Health Care  
Burlington, VT*

Alan H. Rowberg, M.D.  
*University of Washington  
Medical Center  
Seattle*

Richard M. Satava, M.D.,  
F.A.C.S.  
*Yale University School of Medicine  
New Haven*

Gary W. Shannon, Ph.D.  
*University of Kentucky  
Lexington*

Dean Smith, Ph.D.  
*University of Michigan  
School of Public Health  
Ann Arbor*

Max E. Stachura, M.D.  
*Medical College of Georgia  
Augusta*

James H. Thrall, M.D.  
*Massachusetts General Hospital  
Boston*

Ronald S. Weinstein, M.D.  
*University of Arizona  
Tucson*

Pamela F. Whitten, Ph.D.  
*Michigan State University  
Lansing*

Russ Zajtchuk, M.D.  
*Rush-Presbyterian-St. Luke's  
Medical Center  
Chicago*

## Publications Editor

Norman E. Alessi, M.D.  
*University of Michigan Health System  
Ann Arbor*

## Methodology Consultant

David Mendez, Ph.D.  
*University of Michigan  
Ann Arbor*

## Editorial Assistant

Steve Jordan  
*University of Michigan  
Ann Arbor*

# Telemedicine JOURNAL and e-Health

VOLUME 6

NUMBER 3

FALL 2000

## PAPERS

- Evaluation of a Digital Camera for Acquiring Radiographic Images for Telemedicine Applications** 297  
*E. Krupinski, M. Gonzales, C. Gonzales, and R.S. Weinstein*
- The Physiologic Cipher at Altitude: Telemedicine and Real-Time Monitoring of Climbers on Mount Everest** 303  
*R. Satava, P.B. Angood, B. Harnett, C. Macedonia, and R. Merrell*
- Telemedicine at the Top of the World: The 1998 and 1999 Everest Extreme Expeditions** 315  
*P.B. Angood, R. Satava, C. Doarn, R. Merrell, and the E3 Group*
- Virtual Reality in Telemedicine** 327  
*G. Riva and L. Gamberini*
- An Industry, Clinical, and Academic Telehealth Partnership Venture: Progress, Goals Achieved, and Lessons Learned** 341  
*R. Johnston, R. Staveley, L.A. Olfert, and P. Jennett*
- Telepathology Networking in VISN-12 of the Veterans Health Administration** 349  
*B.E. Dunn, H. Choi, U.A. Almagro, D.L. Recla, and C.W. Davis*

## PERSPECTIVE

- Implementing Store-and-Forward Telemedicine: Organizational Issues** 355  
*D. Bangert and R. Doktor*

## COMMUNICATION

- Long-Distance Education in Radiology via a Clinical Telemedicine System** 361  
*S. Tachakra and D. Dutton*

## MEETING REPORT

- Canadian Experiences in Telehealth: Equalizing Access to Quality Care** 367  
*P.A. Jennett, V.L.H. Person, M. Watson, and M. Watanabe*

*Instructions for Authors can be found at the back of the issue.*

Mary Ann Liebert, Inc.  publishers  
www.liebertpub.com

## The Physiologic Cipher at Altitude: Telemedicine and Real-Time Monitoring of Climbers on Mount Everest

RICHARD SATAVA, M.D., F.A.C.S.,<sup>1</sup> PETER B. ANGOOD, M.D., F.A.C.S.,<sup>1</sup>  
BRETT HARNETT, B.S.,<sup>2</sup> CHRISTIAN MACEDONIA, M.D.,<sup>3</sup>  
and RONALD MERRELL, M.D., F.A.C.S.<sup>2</sup>

### ABSTRACT

Advanced wearable biosensors for vital-signs monitoring (physiologic cipher) are available to improve quality of healthcare in hospital, nursing home, and remote environments. The objective of this study was to determine reliability of vital-signs monitoring systems in extreme environments. Three climbers were monitored 24 hours while climbing through Khumbu Icefall. Data were transmitted to Everest Base Camp (elevation 17,800 feet) and retransmitted to Yale University via telemedicine. Main outcome measures (location, heart rate, skin temperature, core body temperature, and activity level) all correlated through time-stamped identification. Two of three location devices functioned 100% of the time, and one device failed after initial acquisition of location 75% of the time. Vital-signs monitors functioned from 95%–100% of the time, with the exception of one climber whose heart-rate monitor functioned 78% of the time. Due to architecture of automatic polling and data acquisition of biosensors, no climber was ever without a full set of data for more than 25 minutes. Climbers were monitored continuously in real-time from Mount Everest to Yale University for more than 45 minutes. Heart rate varied from 76 to 164 beats per minute, skin temperature varied from 5 to 10°C, and core body temperature varied only 1–3°C. No direct correlation was observed among heart rate, activity level, and body temperature, though numerous periods suggested intense and arduous activity. Field testing in the extreme environment of Mount Everest demonstrated an ability to track in real time both vital signs and position of climbers. However, these systems must be more reliable and robust. As technology transitions to commercial products, benefits of remote monitoring will become available for routine healthcare purposes.

### INTRODUCTION

**F**IVE CLIMBERS DIED during their May 1996 climb of the summit of Mount Everest. This tragedy brought into focus the extraordinary risks all individuals endure in remote and ex-

treme environments. The accounts, popularized by Jon Krakauer in *Into Thin Air*<sup>1</sup> and Broughton Coburn and David Beshears in *Everest, Mountain Without Mercy*,<sup>2</sup> described in detail the hardships and circumstances leading to disaster. Incredibly in that episode, two climbers died

<sup>1</sup>Department of Surgery, Yale University School of Medicine, New Haven, Connecticut.

<sup>2</sup>National Aeronautics and Space Administration (NASA), Commercial Space Center for Medical Informatics and Technology Applications (CSC/MITA), Virginia Commonwealth University, Medical College of Virginia, Richmond, Virginia.

<sup>3</sup>Department of Obstetrics and Gynecology, Uniformed Services University of Health Sciences, Bethesda, Maryland.

during a snowstorm within proximity of the safety of the camp. Another was left for dead but actually survived to walk into camp the following morning with frostbite so severe that he lost his nose, right hand, and fingers. Had the expedition members known that two of their colleagues were fallen at a position just outside their tents, or had it been known that one was severely hypothermic but alive with barely detectable vital signs, the outcome may have been more positive. These three tragedies could have been avoided if current technology had been available to the expedition.

A physiologic cipher is a noninvasive identifying tool to measure physiologic status of an individual in real time, through monitoring of vital signs, biochemical, and other parameters with sensors worn by the individual. When concerned with remote locations, such as expeditions or the battlefield, such monitoring also includes geolocation using the Department of Defense global positioning satellite (GPS) system.

The military sector has been developing a number of wearable systems for location and vital-signs monitoring (VSM).<sup>3</sup> These systems consist of three principal components:

1. The vital sign sensors, including heart rate, temperature, respiratory rate, electrocardiogram (EKG), motion (accelerometers) and pulse oximeter, are currently worn at various sites on the body. They are typically strapped across the chest or wrist or swallowed in pill form.
2. The GPS device is commercially available and accurate to within 0.75 meters longitude and 1.01 meters latitude.
3. The telecommunications system, usually a radio frequency (RF) transmission system, is also commercially available but repackaged into a miniaturized wearable configuration.

In remote environments, strategically placed transceivers are required to receive and transmit the signals from the wearable systems to a base station containing the receiver, signal processor, and computer workstation (or laptop computer). Some systems, such as the Sarcos Personnel Status Monitoring or PSM™ system (Sarcos, Inc., Salt Lake City, UT) also have

a hand-held "medic unit" (Fig. 1) that permits a member of the expedition to be in the field and still monitor the vital signs and location of other individuals or members of the squad. During the Mount Everest climbing season in May 1999, an Everest Extreme Expedition was conducted by a team from Yale University School of Medicine in collaboration with the Yale University-NASA Commercial Space Center for Medical Informatics and Technology Applications, Millennium Healthcare Solutions, and The Explorers' Club. The mission had three objectives: (1) to provide advanced medical support to the climbing expeditions from a base camp at 17,800 feet at Mount Everest Base Camp (EBC) from a telemedicine clinic, (2) to test an emerging VSM system for monitoring a physiologic cipher and vital signs of climbers as they ascend toward the summit of Mount Everest, and (3) to assess the cardiovascular adaptation to hypoxia at high altitude. This report concerns the VSM system and the medical implications of a physiologic cipher.



FIG. 1. The medic unit from the Sarcos, Inc. Personnel Status Monitor (PSM) system being developed for the military. (Courtesy of Dr. Stephen Jacobsen, Ph.D., Sarcos, Inc., Salt Lake City, Utah.)

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.