

# Rare-Earth-Doped Fiber Lasers and Amplifiers

## OPTICAL ENGINEERING

*Founding Editor*

**Brian J. Thompson**

*Distinguished University Professor*

*Professor of Optics*

*Provost Emeritus*

*University of Rochester*

*Rochester, New York*

*Editorial Board*

**Toshimitsu Asakura**

Hokkai-Gakuen University  
Sapporo, Hokkaido, Japan

**Chris Dainty**

Imperial College of Science,  
Technology, and Medicine  
London, England

**Mark Kuzyk**

Washington State University  
Pullman, Washington

**Edmond J. Murphy**

JDS/Uniphase  
Bloomfield, Connecticut

**Joseph Shamir**

Technion-Israel Institute  
of Technology  
Hafai, Israel

**Nicholas F. Borrelli**

Corning, Inc.  
Corning, New York

**Bahram Javidi**

University of Connecticut  
Storrs, Connecticut

**Hiroshi Murata**

The Furukawa Electric Co., Ltd.  
Yokohama, Japan

**Dennis R. Pape**

Photonic Systems Inc.  
Melbourne, Florida

**David S. Weiss**

Heidelberg Digital L.L.C.  
Rochester, New York

# Rare-Earth-Doped Fiber Lasers and Amplifiers

Second Edition, Revised and Expanded

edited by

**Michel J. F. Digonnet**

*Stanford University  
Stanford, California*

MARCEL

The first edition was published as *Rare Earth Doped Fiber Lasers and Amplifiers*, Michel J. F. Dignonnet, ed. (Marcel Dekker, Inc., 1993).

**ISBN: 0-8247-0458-4**

This book is printed on acid-free paper.

**Headquarters**

Marcel Dekker, Inc.  
270 Madison Avenue, New York, NY 10016  
tel: 212-696-9000; fax: 212-685-4540

**Eastern Hemisphere Distribution**

Marcel Dekker AG  
Hutgasse 4, Postfach 812, CH-4001 Basel, Switzerland  
tel: 41-61-261-8482; fax: 41-61-261-8896

**World Wide Web**

<http://www.dekker.com>

The publisher offers discounts on this book when ordered in bulk quantities. For more information, write to Special Sales/Professional Marketing at the headquarters address above.

**Copyright © 2001 by Marcel Dekker, Inc. All Rights Reserved.**

Neither this book nor any part may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, microfilming, and recording, or by any information storage and retrieval system, without permission in writing from the publisher.

Current printing (last digit):

10 9 8 7 6 5 4 3 2 1

**PRINTED IN THE UNITED STATES OF AMERICA**

Since this work, extremely efficient 1.48- $\mu\text{m}$ -pumped Er-doped fiber lasers have in fact been reported by Wagener et al. at Stanford University [107]. This study established that a key factor that needs to be optimized to maximize the conversion efficiency is the erbium concentration. Measurements indicated that fibers with increasingly high Er concentrations have increasingly high thresholds and low slope efficiencies. These two effects were attributed to the presence of an increasing percentage of  $\text{Er}^{3+}$  clusters, and to the fact that clusters dramatically reduce the excited lifetime [133], and thereby the quantum efficiency of the transition. The most efficient fiber laser reported in this study used a low-concentration fiber (110 mol ppm  $\text{Er}_2\text{O}_3$ ) and a correspondingly long fiber (42.6 m) [107]. The cleaved fiber ends ( $\sim 3.5\%$  reflections) formed the laser Fabry–Perot resonator. In spite of the high cavity loss ( $\sim 29$  dB), the threshold was low ( $\sim 4.8$  mW), and the laser was successfully pumped with a low-power laser diode. It emitted simultaneously in the forward and backward direction, with a forward slope efficiency of 58.6% [107]. This is the highest slope efficiency and the highest conversion efficiency reported in an Er-doped fiber laser (see Table 3). The backward slope efficiency was 31.8%. If a dichroic high reflector was placed at the pump input end, a total slope efficiency of approximately the sum of these two figures, or  $\sim 90.4\%$ , would be expected, as well as a substantial reduction in threshold.

This study showed that Er-doped fiber lasers, when pumped near 1.48  $\mu\text{m}$ , can be at least as efficient as 980-nm pumped lasers. The reasons for this high performance were the low Er concentration and the similarity between the pump and laser photon energies [107]. The slope efficiency of 90.4% is, in fact, very close to the quantum limit of 95% predicted for the ratio of pump to signal photon energies. It confirms that the quantum efficiency of this transition can be within a few percent of unity. In this light, concentration quenching may well explain the suboptimal efficiencies and thresholds reported in some Er-doped fiber lasers (see Table 3). It points to the importance of selecting a sufficiently low rare earth concentration to maximize the performance of fiber lasers or amplifiers. This requirement was confirmed in a more recent report of a ring fiber laser that utilized a very low-concentration fiber (see Table 3) [21]. After optimizing the fiber length and output coupler transmission, the laser had a low threshold (6.5 mW) and a fairly high slope efficiency of 38.8%. Tuning from 1525 to 1570 nm was achieved with an intracavity tunable filter.

### 3.6.8 Summary

In summary, Er-doped fiber lasers operating close to 1.55  $\mu\text{m}$  are extremely efficient. When pumped at 1.48  $\mu\text{m}$ , their slope efficiency can be within a few percent of the theoretical limit  $\lambda_p/\lambda_s \approx 95\%$ . Pumping at 980 nm produces a lower, although still substantial, slope efficiency (theoretical limit of  $\sim 63\%$ ). Pumping at about 800 nm is unfortunately less efficient ( $\sim 15\%$ ) because of pump ESA, even with Yb co-doping. Er-doped fiber lasers are now almost exclusively pumped close to 980 or 1480 nm. They have also been operated at multiple wavelengths simultaneously. This feature, of great importance for dense WDM systems, is reviewed in Chapter 5.

## 3.7 YTTERBIUM

### 3.7.1 Basic Spectroscopy

Ytterbium is one of the most versatile laser ions in a silica-based host. It offers several very attractive features, in particular an unusually broad absorption band that stretches

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.