

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

ARRIS GROUP, INC.
Petitioner

v.

TQ DELTA, LLC
Patent Owner

Case:

**PETITION FOR *INTER PARTES* REVIEW OF
U.S. PATENT NO. 7,835,430**

Mail Stop PATENT BOARD
Patent Trial and Appeal Board
United States Patent and Trademark Office
PO Box 1450
Alexandria, Virginia 22313-1450
Submitted Electronically via the Patent Review Processing System

TABLE OF CONTENTS

I.	INTRODUCTION	1
II.	MANDATORY NOTICES – 37 C.F.R. § 42.8.....	3
	A. Real Party-In-Interest Under 37 C.F.R. § 42.8(b)(1).....	3
	B. Related Matters Under 37 C.F.R. § 42.8(b)(2).....	3
	C. Lead and Back-Up Counsel Under 37 C.F.R. § 42.8(b)(3).....	4
	D. Service Information Under 37 C.F.R. § 42.8(b)(4)	4
III.	PAYMENT OF FEES – 37 C.F.R. § 42.103	4
IV.	REQUIREMENTS FOR IPR – 37 C.F.R. § 42.104.....	4
	A. Grounds for Standing Under 37 C.F.R. § 42.104(a).....	4
	B. Identification of Challenge Under 37 C.F.R. § 42.104(b) and Relief Requested	5
	C. Claim Construction Under 37 C.F.R. §§ 42.100(b), 42.104(b)(3)	6
	D. Supporting Evidence under 37 C.F.R. § 42.104(b)(5).....	7
V.	SUMMARY AND TECHNICAL BACKGROUND of the '430 Patent	7
	A. The Alleged Invention of the '430 Patent.....	8
	B. Level of Ordinary Skill in the Art.....	8
VI.	DETAILED EXPLANATION UNDER 37 C.F.R. § 42.104(b).....	9
	A. Ground 1: Overview of the T2500 Manual and Held-DataComDev4 References	9
	1. The T2500 Manual and Held-DataComDev4 Are Printed Publications .	11
	2. The Functionalities Defined By the T2500 Manual and Those of Held- DataComDev4 Were Intended to be Combined	14
	B. Ground 1: Claims 1 - 6 are obvious under 35 U.S.C. § 103(a) over the combination of The T2500 Manual and Held-DataComDev4	22
	1. Claim 1	22
	a. Preamble: “A transceiver capable of transmitting test information over a communication channel using multicarrier modulation comprising:”	22
	b. Limitation [A]: “a transmitter portion capable of transmitting a message”	27

c.	Limitation [B]: “wherein the message comprises one or more data variables that represent the test information”	28
d.	Limitation [C]: “wherein bits in the message are modulated onto DMT symbols using Quadrature Amplitude Modulation (QAM) with more than 1 bit per subchannel and”	31
e.	Limitation [D]: “wherein at least one data variable of the one or more data variables comprises an array representing frequency domain received idle channel noise information.”	33
2.	Claim 2.....	35
a.	Preamble: “A transceiver capable of receiving test information over a communication channel using multicarrier modulation comprising:”	35
b.	Limitation [A]: “a receiver portion capable of receiving a message” ..	36
c.	Limitation [B]: “wherein the message comprises one or more data variables that represent the test information”	37
d.	Limitation [C]: “wherein bits in the message are modulated onto DMT symbols using Quadrature Amplitude Modulation (QAM) with more than 1 bit per subchannel and”	37
e.	Limitation [D]: “wherein at least one data variable of the one or more data variables comprises an array representing frequency domain received idle channel noise information.”	37
3.	Claim 3.....	37
a.	Preamble: “In a transceiver capable of transmitting test information over a communication channel using multicarrier modulation, a method comprising:”	37
b.	Limitation [A]: “transmitting a message”	38
c.	Limitation [B]: “wherein the message comprises one or more data variables that represent the test information”	38
d.	Limitation [C]: “wherein bits in the message are modulated onto DMT symbols using Quadrature Amplitude Modulation (QAM) with more than 1 bit per subchannel and”	38
e.	Limitation [D]: “wherein at least one data variable of the one or more data variables comprises an array representing frequency domain received idle channel noise information.”	38
4.	Claim 4.....	38

a.	Preamble: “In a transceiver capable of receiving test information over a communication channel using multicarrier modulation, a method comprising:”	38
b.	Limitation [A]: “receiving a message”	39
c.	Limitation [B]: “wherein the message comprises one or more data variables that represent the test information”	39
d.	Limitation [C]: “wherein bits in the message are modulated onto DMT symbols using Quadrature Amplitude Modulation (QAM) with more than 1 bit per subchannel and”	39
e.	Limitation [D]: “wherein at least one data variable of the one or more data variables comprises an array representing frequency domain received idle channel noise information.”	39
5.	Claim 5	39
a.	Preamble: “A non-transitory computer-readable information storage media having stored thereon instructions that, if executed, cause a transceiver to perform a method comprising:”	39
b.	Limitation [A]: “transmitting a message”	40
c.	Limitation [B]: “wherein the message comprises one or more data variables that represent the test information”	40
d.	Limitation [C]: “wherein bits in the message are modulated onto DMT symbols using Quadrature Amplitude Modulation (QAM) with more than 1 bit per subchannel and”	40
e.	Limitation [D]: “wherein at least one data variable of the one or more data variables comprises an array representing frequency domain received idle channel noise information.”	40
6.	Claim 6	40
a.	Preamble: “A non-transitory computer-readable information storage media having stored thereon instructions that, if executed, cause a transceiver to perform a method comprising:”	40
b.	Limitation [A]: “receiving a message”	41
c.	Limitation [B]: “wherein the message comprises one or more data variables that represent the test information”	41
d.	Limitation [C]: “wherein bits in the message are modulated onto DMT symbols using Quadrature Amplitude Modulation (QAM) with more than 1 bit per subchannel and”	41

e.	Limitation [D]: “wherein at least one data variable of the one or more data variables comprises an array representing frequency domain received idle channel noise information.”	41
C.	Ground 2: Overview of US Patent 4,679,227, US Patent 4,438,511, and US Patent 5,838,268.....	41
1.	Technical Overview of US Patent 4,679,227	41
2.	Technical Overview of US Patent 4,438,511	42
3.	Technical Overview of US Patent 5,838,268	43
D.	Ground 2: Claims 1 - 6 are obvious under 35 U.S.C. § 103(a) over the combination of US Patent 4,679,227, US Patent 4,438,511, and US 5,838,268.	45
1.	Claim 1	46
a.	Preamble: “A transceiver capable of transmitting test information over a communication channel using multicarrier modulation comprising:”	46
b.	Limitation [A]: “a transmitter portion capable of transmitting a message”	47
c.	Limitation [B]: “wherein the message comprises one or more data variables that represent the test information”	47
d.	Limitation [C]: “wherein bits in the message are modulated onto DMT symbols using Quadrature Amplitude Modulation (QAM) with more than 1 bit per subchannel and”	49
e.	Limitation [D]: “wherein at least one data variable of the one or more data variables comprises an array representing frequency domain received idle channel noise information.”	51
2.	Claim 2.....	55
a.	Preamble: “A transceiver capable of receiving test information over a communication channel using multicarrier modulation comprising:”	55
b.	Limitation [A]: “a receiver portion capable of receiving a message”	56
c.	Limitation [B]: “wherein the message comprises one or more data variables that represent the test information”	56
d.	Limitation [C]: “wherein bits in the message are modulated onto DMT symbols using Quadrature Amplitude Modulation (QAM) with more than 1 bit per subchannel and”	56

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.