

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

BIXOLON CO., LTD.,
Petitioner,

v.

SHINHEUNG PRECISION CO., LTD.,
Patent Owner.

Case IPR2016-01068
Patent 6,629,666 B2

Before KEN B. BARRETT, BARRY L. GROSSMAN, and
AMANDA F. WIEKER, *Administrative Patent Judges*.

WIEKER, *Administrative Patent Judge*.

DECISION
Denying Institution of *Inter Partes* Review
37 C.F.R. § 42.108

I. INTRODUCTION

Bixolon Co., Ltd. (“Petitioner”) filed a Petition requesting an *inter partes* review of claims 1–18 of U.S. Patent No. 6,629,666 B2 (Ex. 1001, “the ’666 patent”). Paper 1 (“Pet.”). In response, Patent Owner, ShinHeung Precision Co., Ltd., filed a Preliminary Response. Paper 7 (“Prelim. Resp.”). 35 U.S.C. § 314 provides that an *inter partes* review may not be instituted “unless . . . the information presented in the petition . . . shows that there is a reasonable likelihood that the petitioner would prevail with respect to at least 1 of the claims challenged in the petition.”

For the reasons set forth below, we deny institution of an *inter partes* review of the ’666 patent.

A. Related Matter

According to Petitioner, the ’666 patent is involved in the following lawsuit: *ShinHeung Precision Co., Ltd. v. Bixolon Co., Ltd. et al.*, 2:16-cv-00109-CAS-SS (C.D. Cal.). Pet. 1.

B. The ’666 Patent

The ’666 patent relates to a printer “for detecting a termination of a web of printing medium that is continuously fed from a supply reel.” Ex. 1001, 1:8–11. Figure 2 of the ’666 patent is reproduced below.

FIG. 2




Figure 2 depicts the detecting device of a printer according to the '666 patent. *Id.* at 3:65–67. Printer frame 110 includes “a first printing medium detecting means 210 and a second printing medium detecting means 220 for non-contact detecting the termination of the printing medium.” *Id.* at 4:50–54. Detecting means 210/220 include windows 111/112 for transmitting light, photo sensor modules 211/221 for emitting light to the windows and detecting light reflected from the windows, and housings 212/222 having apertures 217, for movably supporting the sensor modules. *Id.* at 5:13–23, Figs. 2, 4A, 4B. Because both first and second detecting means are provided, termination of the printing medium can be detected “in a desktop posture or wall mount posture without having to adjust an initially set posture” of the detecting device. *Id.* at 2:53–58, 4:31–38, Figs. 2–3.

Figure 9A of the '666 patent is reproduced below.

FIG. 9A




Figure 9A depicts printer frame 110 positioned in a horizontal, desktop posture. *Id.* at 5:3–7. Figure 9A also depicts, in broken line, an original diameter of printing medium roll 1 and depicts, in solid line, a reduced diameter of the roll. *Id.* at 5:3–7, 7:11–15. When the diameter is so reduced, the roll of printing medium sits in the lowest portion of frame 110, along guiding end 123. *Id.* In such a position,

one end of the roll is exposed through the window 112 . . . [and] light emitted from the photo sensor module 221 is reflected back to the photo sensor module 221. In response, the main controller (not shown) outputs the results in the form of an electric signal. Accordingly, information indicating the termination or near-termination of the printing medium 1 is detected, and this information is conveyed to the user through a display or a certain form of an alarm.

Id. at 7:16–25; *see also id.* at 5:8–12, 7:26–37, Fig. 9B (explaining comparable operation of sensor module 211 when printer frame 110 is mounted in a vertical, wall mount posture).

Figure 2 of the '666 patent, reproduced above, also depicts position adjusting means 300, which adjusts the initial set position of first and second detecting means 210/220 according to the initial diameter of the roll of printing medium. *Id.* at 4:55–60, 8:27–35. Position adjusting means 300 includes rotary knob 310 with lever 320 and first and second cam grooves 311/312, which constrain cam pins 213/223 provided on housings 212/222 of detecting means 210/220. *Id.* at 6:1–12, Figs. 6A–6B. Therefore, to set the initial position of the detecting means,

rotary lever 320 is rotated in direction a or b, [such that] the position adjusting means 300 moves the housing 212 in direction c or d according to the cam following movement of the first and the second cam grooves 311 and 312 and the cam pins 213 and 223. At the same time, the housing 222 is moved in a direction e or f. As a result, according to the diameter of the roll of the printing medium 1 in use, the detection points of the photo sensor modules 211 and 221 can be adjusted higher or lower within the windows 111 and 112, and the initial set position of the photo sensor modules 211 and 221 can be adjusted easily.

Id. at 8:41–53, Fig. 8.

C. Illustrative Claim

Challenged claims 1 and 6 are independent. Challenged claims 2–5 depend directly or indirectly from claim 1, and challenged claims 7–18 depend directly or indirectly from claim 6.

Claim 1, reproduced below, is illustrative:

1. An apparatus of a printer for detecting a termination of a printing medium, comprising:
 - a frame, the frame housing and supporting a roll of the printing medium;
 - printing medium detecting means for non-contact detecting of the termination or a near-termination of the

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.