

HACKH'S CHEMICAL DICTIONARY

[*American and British Usage*]

*Containing the Words Generally Used in Chemistry,
and Many of the Terms Used in the Related
Sciences of Physics, Astrophysics, Mineralogy,
Pharmacy, Agriculture, Biology,
Medicine, Engineering, etc.*

Based on Recent Chemical Literature

FOURTH EDITION

Completely Revised and Edited by

JULIUS GRANT

M.S.C., PH.D., F.R.I.C. CHEMICAL CONSULTANT

McGRAW-HILL BOOK COMPANY

New York St. Louis San Francisco Düsseldorf Johannesburg

Kuala Lumpur London Mexico Montreal New Delhi

Panama Rio de Janeiro Singapore Sydney Toronto

HACKH'S CHEMICAL DICTIONARY

Copyright © 1969 by McGraw-Hill, Inc.
All Rights Reserved.

Copyright renewed 1972 by Julius Grant.

Copyright 1944, 1937, 1929 by McGraw-Hill, Inc.

All Rights Reserved. Printed in the United States of America.
No part of this publication may be reproduced, stored in a retrieval system,
or transmitted, in any form or by any means,
electronic, mechanical, photocopying, recording, or otherwise,
without the prior written permission of the publisher.

Library of Congress Catalog Card Number 61-18726

07-024064-7

9 10 11 - MAMM - 8 4 3 2

sand, used for fumigation by dropping
ochloric acid to liberate hydrogen
dispersion of a solid phase in a gaseous
like.
ce layer of the earth; the weathered
rock fragments with decomposed
animal matter. 1,000 million hec-
of the world are used for agriculture.

SOILS

| Sand | Clay | Type |
|------------------------|-------------|-----------------|
| 30-100 | 0 | Flying sand |
| | 10 | Loose sand |
| | 20 | Clay sand |
| 10-50 | 30 | Sandy loam |
| | 40 | Mild loam |
| | 55 | Strong loam |
| 0-30 | 65 | Mild clay |
| | 75 | common clay |
| | 90 | Strong clay |
| 5-50 | 20-50 | Loamy soil |
| | | |
| | | Sandy soil |
| | | Calcareous soil |
| | | Lime soil |
| Particles, mm diameter | | |
| | Over 2 | |
| | 0.2-2.0 | |
| | 0.02-0.20 | |
| | 0.002-0.02 | |
| | Below 0.002 | |

7. See table. **s. amendment.** A
o s. to improve it other than by
e.g., sand added to prevent
v. **s. bacteria.** Protozoa that
the ammonification and nitrifica-
compounds, e.g., *Bacillus mycoides*.
s. horizon. Layers of a
have become differentiated as a
s occurring in the s. mass. **s.**
mechanics. **s. profile.** A section
e layers produced at different
gical or other causes. Cf. **s.**
e. **Pedology.** The study of the
r.
solution. (2) The liquid phase of
1. (3) Abbreviation for soluble.
ystem in which the surrounding
fog. **collo-** Colloidal. **electro-**
A colloidal suspension in a
See **gel.** **sulfo-** See **sulfosol.**
ade family. Herbs or shrubs
often poisonous foliage, and a
staining alkaloids; e.g., roots:
2, atropine; leaves: *Datura*

stramonium, stramonium; branches: *Fabiana imbricata*, pichi; fruits: *Capsicum frutescens*, cayenne pepper. **S. alkaloids.** The alkaloids obtained from various species of s.; as: atropine, hyoscyamine, belladonine. Cf. *lycine*, *solandrine*, *solanine*.
solandrine. An alkaloid from *Solandra lavis*. It resembles hyoscyne.
solanellie acid. $C_{23}H_{34}O_{12} = 502.2$. A hexabasic acid from oxidation of bile acids.
solanisol. A long-chain isoprenoid alcohol from tobacco.
solanidine $C_{27}H_{43}O_3N = 397.4$. A decomposition product of solanine. Colorless crystals, m.208, soluble in alcohol.
solanin. $C_{45}H_{73}O_{15}N = 867.7$. A glycoside from *Solanum nigrum*, potato and other species. Colorless microcrystals, m.230, soluble in water; a nerve sedative.
solanine. $C_{52}H_{91}O_{18}N = 1017.7$. An alkaloid in Solanaceae, decomp. 254. Potato s. can cause poisoning.
solanorubin. Licopene.
Solanum. Herbs and shrubs of the family Solanaceae; includes nightshades and potatoes. **S. carolinense.** *Solanum*, horse nettle, poison potato, sand brier, bull nettle. Air-dry ripe fruits (Southern States); a sedative. **S. dulcamara.** Bittersweet. **S. grandiflora.** S. yielding grandiflorine, q.v. **S. insidiosum.** Jurubeba. The root (Brazil) is a stomachic and diuretic. **S. melongena.** Eggplant. **S. nigrum.** The common garden nightshade. **S. tomatillo.** S. yielding natrine, q.v. **S. tuberosum.** The common potato.
solapson(e). $C_{30}H_{28}O_{14}N_2S_5Na_4 = 892.93$. Sulfetronone. White, amorphous powder, soluble in water; a bacteriostatic (B.P.).
solar. Pertaining to the sun. **s. constant.** 1.932 small calories: the amount of s. energy falling at normal incidence per square centimeter per minute on a body at the earth's mean distance from the sun. **s. pan, s. pond.** Flat areas surrounded by low dykes in which seawater is evaporated for salt. **s. radiation.** See **radiation.** **s. rays.** The visible and invisible radiations of the sun. **s. salt.** See **salt.** **s. spectrum.** The spectrum produced when sunlight is refracted by a prism or grating; characterized by Fraunhofer lines. **s. year.** The ordinary year.
solargentum. A compound of silver and gelatin. Black granules; used medicinally.
solarization. (1) Exposure to the sun; as in accelerated aging. Cf. **irradiation.** (2) A decrease in starch content following long exposure of plant leaves to light. (3) The partial inversion of a photographic negative into a positive by exposure to light during development; used to enhance shading effects.
solate. A liquefied gel.
solation. Liquefaction of a gel; the reverse of gelation.
solbrol. Nipagin.
solder. Braze. A fusing metal or alloy used to unite adjacent surfaces of less fusible metals. **brass-** Copper s. **copper-** An alloy: Sn 5, Pb 2 pts., with zinc chloride as flux. **fine-** Soft s. **fusible-** An alloy of Pb, Sn, and Bi, which melts in water; used in fire-spray extinguishers. **gold-** An alloy:

Au 10, Ag 6, Cu 4 pts. **hard-** A high-melting-point alloy used as s.; it fuses at red heat: e.g., Cu + Zn + Ag. **lead-** An alloy of equal parts of Pb and Sn, used for soldering lead. **plumber's-** An alloy usually containing approx. Pb 65, Sn 30%, with some Sb. **seifert-** A s. for aluminum, containing Sn 73, Zn 21, Pb 5%. **silver-** See **silver.** **soft-** A s. that fuses below red heat; as, Sn + Pb: **lead s., fusible s.** **zinc-** An alloy: Sn 5, Pb 3 pts.
soldering. (1) Uniting metallic pieces by heat with or without an alloy (solder) and flux (borax). (2) In commerce, soft (as distinct from hard) solders. S. differs from **brazing** and **fusion welding**, q.v.
autogenous- Uniting metal surfaces by interdiffusion, without a more fusible alloy. **fusing-** uniting metal surfaces by filling all intervening space with a completely fused solder. **sweating-** S. in which the solder is heated near its melting point and adheres.
solenhofen stone. A fine-grained, porous limestone; contains clay.
solenoid. Selenoid. A hollow cylinder, wound with resistance wire, used to produce fields of electric force.
solfatara. A volcanic vent from which sulfur is obtained.
solferino. Fuchsin.
solid. (1) A substance of definite shape, and relatively great density, low internal heat content, and great cohesion of its molecules. It may be homogeneous (as crystals and solid solutions); or heterogeneous (as amorphous and colloidal substances). **s. solution.** (1) Sosoloid. **A homogeneous, s. mixture of substance;** as, glass. (2) A s. solution of a solid, liquid, or gas in a solid.
solidago. Goldenrod. The dried herb of *Solidago odora* (Compositae); a diaphoretic, stimulant, carminative, and diuretic.
solidify. To change into the solid state.
solidifying point. Freezing point.
solidus. In a temperature-concentration diagram for both solid and liquid solutions whose concentrations differ, the s. curve relates to the solid phase and the **liquidus** to the liquid phase. Cf. **diagram.**
soliquid. Suspension. A dispersed system of a solid phase in a liquid phase.
soln. Abbreviation for solution.
solodization. Dealkalization. Removal of alkali from soils by degradation.
Solomon's seal. Polygonatum. The dried herb of *Polygonatum officinale* (Liliaceae); an astringent and antirheumatic.
Solozone. Trademark for a brand of hydrogen peroxide.
solubility. The extent to which a substance (solute) mixes with a liquid (solvent) to produce a homogeneous system (solution). **apparent-** The total amount of the nonionized and ionized portions of a substance dissolved in a liquid. **degree of-** The concentration of a saturated solution at a given temperature. S. generally increases with increase in temperature. **molar-** s/M , where s is the number of grams per liter, and M the molecular weight. **real-** The amount of nonionized solute in a liquid.
s. curve. A graph obtained by plotting the amount of dissolved substance in a saturated solution against the temperature. **s. exponent.**