
ILLUSTRATED SOURCEBOOK

of

MECHANICAL COMPONENTS



ROBERT O. PARMLEY, P.E.



ILLUSTRATED SOURCEBOOK

____ of -

MECHANICAL COMPONENTS

ROBERT O. PARMLEY, P.E. EDITOR-in-CHIEF

McGraw-Hill

New York San Francisco Washington, D.C. Auckland Bogotá Caracas Lisbon London Madrid Mexico City Milan Montreal New Delhi San Juan Singapore Sydney Tokyo Toronto



McGraw-Hill



A Division of The McGraw-Hill Companies

Copyright © 2000 by The McGraw-Hill Companies, Inc. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means or stored in a data base or retrieval system, without the prior written permission of the publisher.

3 4 5 6 7 8 9 0 KGP/KGP 0 6 5 4 3 2 1

ISBN 0-07-048617-4

The sponsoring editor for this book was Linda Ludewig and the production supervisor was Pamela A. Pelton.

It was set in Goudy and designed by Wayne C. Parmley.

Printed and bound by Quebecor/Kingsport.

McGraw-Hill books are available at special quantity discounts to use as premiums and sales promotions, or for use in corporate training programs. For more information, please write to the Director of Special Sales, Professional Publishing, McGraw-Hill, Two Penn Plaza, New York, NY 10121-2298. Or contact your local bookstore.



This book is printed on recycled, acid-free paper containing a minimum of 50% recycled, de-inked fiber.

Information contained in this work has been obtained by The McGraw-Hill Companies, Inc. ("McGraw-Hill") from sources believed to be reliable. However, neither McGraw-Hill nor its authors guarantee the accuracy or completeness of any information published herein and neither McGraw-Hill nor its authors shall be responsible for any errors, omissions, or damages arising out of use of this information. This work is published with the understanding that McGraw-Hill and its authors are supplying information but are not attempting to render engineering or other professional services. If such services are required, the assistance of an appropriate professional should be sought.



SECTION 3

BELTS & BELTING

Unique Belt Applications	
Leather Belts-Hp Loss and Speed	
Find the Length of Open and Closed Belts	
Ten Types of Belt Drives	
Mechanisms for Adjusting Tension of Belt Drives	
Equations for Computing Creep in Belt Drives	
Typical Feeders, Take-ups, Drives and Idlers for Belt Conveyors	




Unique Belt Applications

Brent Oman

Belt power transmission systems have been in operation in industry for over 200 years, going back to early flat belt drives. These early flat belts were typically composed of leather and cotton or hemp rope, used to transmit power from steam engines or water wheels to early industrial production machinery. Belt technology has increased dramatically, with modern engineered belt systems handling loads and applications with a design flexibility that other power transmission systems cannot match. Modern belt drives can handle a wide variety of loads and speeds that would not have been possible in the past.

An example of an extremely harshly loaded belt application is the supercharger belt drive system used on the supercharged, nitromethane consuming Top Fuel and Funny Car classes in professional drag racing. The belt drive is used to drive the supercharger, transmitting power from the engine crankshaft. Vehicles in these drag racing classes commonly traverse the 1/4 mile track in under 5 seconds. Belt tensioning is provided by the addition of an idler. The superchargers used to develop such high vehicle speeds can require in excess of 1000 HP to operate, at speeds in excess of 10,000 RPM. Engine acceleration at the start of a race can be nearly 5,000 RPM in 0.2 seconds. Such extreme operating conditions requires a belt with equally extreme capabilities. A polyurethane synchronous belt with high strength aramid tensile cords and a modified curvilinear tooth form is the only belt which can handle such a demanding load requirement. Supercharger drive belts are commonly 14mm pitch (distance from the center of one belt tooth to the center of an adjacent belt tooth) and approximately 3 inches wide.



An example of a Top Fuel or Funny Car supercharger driven from engine crankshaft



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

