

1 SYSTEM FOR ADJUSTABLE DIGITAL LICENSING OVER TIME
2 (THE THROTTLING PATENT)

3 Inventor: Ric B Richardson
4 Assignee: Uniloc Limited (Singapore)
5

6 I, Ric B Richardson of Huntington Beach, CA have invented a licensing system for digital products that allows the
7 license terms over time to allow license terms to be adjusted around the target customer's usual usage patterns but
8 invokes license restriction policies when customers intentionally abuse license terms.
9

10 BACKGROUND

11 A common capability of digital product license systems is the ability to control how many devices are allowed to be
12 used with each product license which is usually sold to an individual customer or company. For example US patent
13 5,490,216 refers to a system where a license is given to an individual, but in turn that license is linked to a specific
14 personal computer thereby limiting the copyright holders exposure to copyright abuse if the user decided to share
15 their license with other unauthorized users.
16

17 A problem that has arisen over time is the fact that consumers of software have normal patterns of use that include
18 the installation and use of digital products on multiple devices. For example a person may wish to buy software and
19 use it on three computers at their home, a computer at work, a mobile computer and the computers at their holiday
20 home and their parent's house. In addition to these uses, computers are also bought, sold and replaced so over time
21 maybe two or three times this number of computers may be used by the user over time with a legitimate need to
22 install and use the software on every computer.
23

24 Publishers of digital products have a dilemma in that they may want their customers to receive the normal freedom
25 to use the software that they have purchased but they also do not want the software licenses to be freely shared
26 amongst end users or even in worst case shared anonymously over the Internet resulting in massive piracy and
27 copyright abuse of the product.
28

29 To solve this problem some publishers have set a relatively high device to license ratio in their control systems in
30 the hope that customers will not exceed the maximum number of devices per license. An example of this is Apple
31 iTunes which enables customers to play a purchased music file on up to five PCs per license before being requested
32 to buy an additional license. They have also implemented a system that allows customers to turn off the license
33 rights of individual PCs with regard to a specific music file license and therefore free up that device installation so
34 that the music file can be used on one additional PC.
35

36 While this method does go some way to appeasing the problem of a normal customers usage expectations, it does
37 not take into consideration the normal attrition that occurs with the purchase and upgrade of PC devices and places
38 an expectation on the user to go through a number of involved steps to retain their rights to use the software.
39

40 The proposed invention addresses this and other problems by allowing for a changing number of device installations
41 on a per license basis over time. The invention also includes a customer feedback system that warns a user when
42 they are nearing the limit of their device installation ceiling for their license.
43

44 An example scenario could be as follows. A software publisher wants to commence distribution of a software
45 product and to minimize unauthorized copying of their software. Their license may state that they authorize the user
46 to use their software on up to five devices but reserve the right to increase this limit at their own discretion. The
47 customer installs the software on the three computers they have at home. Each time the software connects to a
48 license management server controlled by the publisher over the Internet to ensure that the device limit for the
49 individual license has not been exceeded.
50

51 The customer then chooses to install the same software on their PC at work. Upon contacting the publishers license
52 management server over the Internet a message is displayed to the user warning them that they are nearing the limit
53 of their device count for their license.

1 Two weeks later the user wishes to install their software on the two computers they own at the customers holiday
2 home. If the publisher uses the proposed invention the maximum number of devices for the license may have been
3 adjusted to accommodate a reasonable small increase in the number of devices linked to a specific license and both
4 PCs may be allowed to install and run even though the publishers stated device limit per license is five.
5

6 Then three months later, the user experiences water damage from a flood in their house and a new PC is purchased.
7 Upon installation of the protected software the invention will allow the user to obtain additional device installations
8 from the publishers license management server for the same license even though the device limit is five.
9

10 However, if that user shares their license with all the computer users in a college dormitory, the invention can be set
11 to stop wholesale abuse of the license terms.
12
13
14

15 PRIOR ART

16 Patents:

17 Uniloc patent 5,490,216 and Microsoft patent 6,243,468
18

19 Web search terms:

20 Throttling license/ software/ authroisation, software license, time based license, timed license, expiring license,
21 expiring certificate, activation, timed activation.
22

23 Companies researched for prior art:

24 Crypkey, Apple, Macrovision, Microsoft and other small related companies.
25

26 DRAWINGS

27
28 Figure 1: example License

29 Figure 2: system for license and device authorization
30

31 DESCRIPTION AND OPERATION

32 The described example embodiment of a system for adjustable digital licensing over time allows a software user to
33 increase the number of devices they can use with a particular software license 60 over the period of ownership of
34 that license.
35

36 Initially, the publisher or distributor of the software sets rules 60 that govern the use of the software on a specific
37 number of devices. These rules are described as an example embodiment in figure 1. The number of devices
38 allowed to run the software in an authorized or enabled state increases over time to reflect the normal usage pattern
39 of software users where the user adds devices, replaces or upgrades devices over time. The rules 60 reflect this
40 pattern of an increasing number of devices authorized over time. For the first five days of the users use of the
41 software a total of five devices can be authorized on new devices. For the next twenty-five days until the thirtieth
42 day after first authorization, the user is allowed to authorize a total of seven new devices. After the first thirty days
43 an additional four devices can be authorized, delivering the maximum number of copies on separate devices under
44 the license which, in this example embodiment, is eleven.
45

46 Figure 2 shows an example embodiment of a software system that is designed to manage the rules terms 60
47 described in figure 1.
48

49 Device locked license systems such as described in US5,490,216 enable software license to be locked to a license
50 agreement and specific authorized devices. The system usually comprises a device that requests authorization 50 by
51 means of a software process 50 and the licensing authority 55 which is usually a software system that represents the
52 publisher or distributors interests and regulates the number of devices that can be used with each license.

1 Typically the device requesting authorization 50 collects license related 10 and unique device identifying
2 information 11, compiles it into a communication and sends it to the authorization authority 55. Upon receipt the
3 license authority 55 checks that the license information is valid 13. If the request fails, an authorization is
4 disallowed 14 and the device based software is sent a message to this effect. In practice this will involve further
5 action by the device based software to notify the user of the failure to authorize and then either terminate the
6 software or allow the software to continue in some form of trial mode.
7

8 If the request for authorization 12 includes license data that is valid, the license information checking process 13
9 will pass and the requesting devices unique identity information 11 is checked to see if it exists in the database or
10 prior authorizations 15. If the device identity exists 16, meaning that the software has been successfully registered
11 on the same device in the past, then according to the license terms for the software 60 a re-authorization is
12 automatically allowed 17. A communication allowing the software to continue in an authorized state is passed to the
13 requesting device software 50 and the software on the device is subsequently authorized 18 and allowed to run.
14

15 If the unique identity of the device 11 is not in the authorization database 15 of previous device requests, then the
16 licensing authority 55 checks to see if the new authorization request is the first request or is a subsequent request
17 that has occurred in the first five days from the date of the first successful authorization 19.
18

19 If the request is within the first five day period 19, the authorization database 15 is consulted for a count of how
20 many successful authorizations for new devices have been allowed. Under the license rules 60, if the device count is
21 less than five then a message is sent to the request device that allows the software to continue in an authorized state
22 18. If the device count is equal to five then the licensing authority 55 sends a message to the requesting device 50
23 allowing the device to run in an authorized state 18 but also may optionally inform the user that the limit of the
24 number of devices available to run under this license has been reached 22 and that subsequent requests for
25 authorization may be denied in the short term.
26

27 If the count of devices authorized for use with the specific license 10 is greater than five 23, then the licensing
28 authority 55 sends a message denying authorization 25 and the user is optionally notified that the limit of devices
29 that can be authorized with their license terms has been exceeded 24. In practice, the software on the requesting
30 device 50 will either subsequently terminate the software or allow the software to run in a limited trial mode if this
31 is available.
32

33 If the number of days since the first authorization of a device for the license 10 is not less than six 19, then the
34 licensing authority tests the time elapsed from the first successful authorization to see if it is less than thirty-one
35 days since the date and time of the first successful authorization 26. If this test 26 is successful then a test is made to
36 see if the count of successful new device authorizations is less than seven 27. If this is so a communication is made
37 to the requesting device 50 authorizing the device to run 28. If the new device count is equal to seven 29 then the
38 user is warned that their device limit has been reached 30 and the device is subsequently authorized to run 28.
39

40 However, if the new device count is greater than seven 31, a communication is made to the requesting device 50
41 that the authorization is denied 33 and optionally the user is notified that their license device count has been
42 exceeded 32.
43

44 If the number of days since the first successful authorization is greater than thirty days 34, the device count for the
45 license 10 is checked in the authorization database 15 and the device count for the license retrieved. If the number
46 of successful new device authorizations is less than ten 35 then the device authorization is allowed 36. If the device
47 count is equal to eleven 37 then the user is optionally warned that they have reached the limit 38 and the device is
48 authorized to run 36.
49

50 However if the device count is greater than eleven 39 then a communication is made to the requesting device 50 that
51 the user be optionally notified that their device number terms of the license have been exceeded 40 and the
52 authorization is denied 41.

1 The result is a license system that allows consumers of software to load their software on new or replacement
2 devices as they are purchased over time without exposing the publisher to copying abuses that is common amongst
3 software pirates and casual software copiers.
4

5 6 ALTERNATIVE EMBODIMENTS

7
8 Alternative embodiments of this invention includes but are not limited to:

9
10 A system as above where the license management system is linked to a fixed calendar date rather than the date of
11 first successful authorization. This approach can be used for marketing and distribution purposes such as specifying
12 specific periods of high copy counts to encourage word of mouth and user to user sharing but later restricting the
13 device count to encourage people to begin paying for copies that have been intentionally shared.
14

15 The example embodiment is simple for the purposes of understanding but can include any number of evaluation
16 periods, not just the five, thirty and unlimited day periods described in the example. Also the number of notification
17 stages can be indefinitely expanded, for example the user could be given a polite message encouraging them to be
18 careful with making copies when they are two copies away from their count limit and a stronger message when it is
19 their last copy before being denied authorizations. Messages could also optionally tell the user how many days they
20 have to wait before additional device authorizations will be available.
21

22 The example embodiment also shows that the allowed copy count increases over time. An alternative embodiment
23 could be used where the allowed copy count decreases over time. This may be useful in a situation, for example,
24 where the publisher supplies their software with a fairly open device count license rule but discovers individual
25 instances of copy abuse and decides to limit the license terms of those specific licenses.
26

27 The described system could also be used with authorizations for software that is rented or otherwise allowed to be
28 used for a specific period of time or number of uses rather than indefinitely as in the example embodiment.
29

30 An alternative embodiment of all of the above scenarios could include an algorithm rather than an arbitrary value in
31 calculating both the time period for the calculation of the device count, and the device count related to that specific
32 measured time period. For example, the algorithm for the available device count could be equal to the number of
33 elapsed days since the first successful activation divided by five in brackets plus five. Using the example algorithm
34 a device count of five would be available from day one, and a device count of eleven at day thirty and so on.
35

36 Another alternative embodiment could be used for security applications where access is granted to data or some
37 other valuable or important item as a result of a successful authorization rather than in the example embodiment
38 where it is a license that is being granted.

Example License Rules

License allows:

- 5 devices to be added within the first 5 days of the initial authorization date and time.
- 7 devices to be added within the first 30 days of the initial authorization date and time.
- 11 devices to be allowed in total.
- Indefinite numbers of re-authorizations for devices already authorized.

60

Figure 1

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.