

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

SATCO PRODUCTS, INC.,
Petitioner,

v.

LIGHTING SCIENCE GROUP CORP.,
Patent Owner.

IPR2017-01638 (Patent 8,201,968)
IPR2017-01639 (Patent 8,967,844)
IPR2017-01643 (Patent 8,672,518)¹

Before KEVIN F. TURNER, *Administrative Patent Judge*.

TURNER, *Administrative Patent Judge*.

ORDER
Conduct of the Proceeding
37 C.F.R. § 42.5

¹ We use this caption in this paper to indicate that this Order applies to, and is entered in, all of the indicated cases. The parties are not authorized to use this caption.

IPR2017-01638 (Patent 8,201,968)
IPR2017-01639 (Patent 8,967,844)
IPR2017-01643 (Patent 8,672,518)

On June 19, 2017, Petitioner, Satco Products, LLC, filed two petitions (IPR2017-01638, IPR2017-01639, Papers 1) directed to two patents of Patent Owner, Lighting Science Group, Corp., and subsequently filed a third petition on June 21, 2017 (IPR2017-01643, Paper 1), directed to another patent owned by Patent Owner. Thereafter, Notices of Filing Date Accorded to Petition (IPR2017-01638, Paper 7; IPR2017-01639, Paper 5; IPR2017-01643, Paper 5) were mailed, with each Notice pointing out that Petitioner failed to label each exhibit with Petitioner's name and exhibit number. Additionally, the Notices in IPR2017-01638 and IPR2017-01643 indicated that footnotes need to be double-spaced, requiring the filing of substitute petitions.

Petitioner responded then the prescribed time limits, but the following errors have been determined:

- In IPR2017-01638, the replacement exhibits were filed as a “paper” (Paper 9), instead of as “exhibits,” and the replacements were filed as a single document, instead of separate exhibits; additionally, the Motion and replacement exhibits and petition were marked as confidential, with only the Board and parties having access;
- In IPR2017-01639, the replacement exhibits were filed as a single document (Ex. 1018), instead of separate exhibits; additionally, the Motion and replacement exhibits and petition were marked as confidential, with only the Board and parties having access; and
- In IPR2017-01643, the replacement exhibits were filed as a single document (Ex. 1014), instead of separate exhibits; additionally, the Motion and replacement exhibits were marked as confidential, with only the Board and parties having access.

IPR2017-01638 (Patent 8,201,968)

IPR2017-01639 (Patent 8,967,844)

IPR2017-01643 (Patent 8,672,518)

The above-noted errors must be corrected by Petitioner to facilitate the review of the filed petitions. Such corrections must be made on or before October 18, 2017.

If there are any questions pertaining to making the needed corrections, please contact the Patent Trial and Appeal Board at 571-272-7822 for assistance.

ORDER:

It is ORDERED that Petitioner must correct the above-noted errors in IPR2017-01638, IPR2017-01639, and IPR2017-01643, no later than October 18, 2017.

IPR2017-01638 (Patent 8,201,968)

IPR2017-01639 (Patent 8,967,844)

IPR2017-01643 (Patent 8,672,518)

PETITIONER:

Timothy M. Nitsch

Robert S. Rigg

VEDDER PRICE P.C.

tnitsch@vedderprice.com

rrigg@vedderprice.com

PATENT OWNER:

Garret A. Leach

Eric D. Hayes

Eugene Goryunov

Kyle M. Kantarek

KIRKLAND & ELLIS LLP

garret.leach@kirkland.com

eric.hayes@kirkland.com

egoryunov@kirkland.com

kyle.kantarek@kirkland.com