Compression Moldling Davis/Gramann/ Osswald / Rios

Bruce A. Davis / Paul J. Gramann / Tim A. Osswald / Antoine C. Rios

Compression Molding

HANSER

Hanser Publishers, Munich

Hanser Gardner Publications, Inc., Cincinnati



The Authors:

Dr. Bruce A. Davis, Dr. Paul J. Gramena, Dr. Antoine C. Rios all: The Madison Group, Polymor Processing Research Corp., 505 S. Rose Rd., Suite 124, Madison, WI 53719–1265 Prof. Dr. Tan A. Osswald, Polymor Engineering Conter, University of Wiscousin - Madison, Dept. of Mechanical Engineering, 1513 University Avenue, Madison WI 53706, USA

Distributed in the USA and in Canada by Hanser Gurdner Publications, Inc. 6915 Valley Avenue, Cincinnati, Ohio 45244-3029, USA Pax. (313) 527-8801

Phone: (513) 527-8977 or 1-800-950-8977 [steener: http://www.hansergardner.com

Distributed in all other countries by Carl Hanser Verlag Postfach 86 04 20, 81631 Müneken, Germany Fax: +49 (89) 98 48 09 Internet: http://www.hanser.de

The use of general descriptive names, trademarks, etc., in this publication, even if the former are not especially identified, is not to be taken as a sign that such names, as understood by the Trade Marks and Merchandise Marks Act, may accordingly be used freely by anyone.

While the advice and information in this book are believed to be true and accurate at the date of going to press, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Library of Congress Catologing-in-Publication Data

Compression molding / Paul J. Gramaun ... [et al.].

p. cm. ISBN 1-56990-346-8 (Hardcover)

1. Thermoseiting plastics, 2. Reinforced plastics. I. Gramann, Paul

TP1180,TSSC56 2003 668,4°22—4021

2003007485

Bibliografische Information Der Deutschen Bibliothek Die Deutsche Bibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliografie; detaillierte bibliografische Daten sind im Internet über «<u>Imp://dab.tkib.de</u>» abrufbar.

ISBN 3-446-22166-2

All rights reserved. No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying or by any information storage and retrievel system, without permission in writing from the publisher.

© Carl Hanser Verlag, Munich 2003
Production Management: Oswald Immel
Typeset by Angela Ospina-Garcia, USA
Coverillustration by Mike Shinedling
Coverdesign: MCP • Susanne Kraus GbR, Holzkirchen, Germany
Printed and bound by Kösel, Kempton, Germany



Table of Contents

| 1 | Introduc | tion | | 1 | | |
|----|-------------------------------|-------------|--|----|--|--|
| | 1.1 | Histor | rical Background | 1 | | |
| | 1.2 | The C | ompression Molding Process | 6 | | |
| | 1.3 | Comp | ression Molding of SMC and BMC | 10 | | |
| | 1.4 | | ression Molding of GMT and LFT | | | |
| | 1.5 | Outlo | | | | |
| | Refe | rences | DECREES CONTO MONOR OF THE PROPERTY OF THE PRO | 18 | | |
| 2. | Compression Molding Materials | | | | | |
| | 2.1 | Introc | luction to Polymers | 19 | | |
| | | 2.1.2 | Thermoplastic Polymers | 21 | | |
| | | 2.1.3 | Amorphous Thermoplastics | 21 | | |
| | | 2.1.4 | Semi-Crystalline Thermoplastics | 23 | | |
| | | 2.1.5 | Thermosets and Cross-Linked Elastomers | 25 | | |
| | 2.2 | | ression Molding Material Preparation | 27 | | |
| | | 2.2.1 | Thermosetting Resins | 27 | | |
| | | 2.2.2 | Thermoplastic Resins | 28 | | |
| | | 2.2.3 | Funtional Additives | 29 | | |
| | | | 2.2.3.1 Initiators | 29 | | |
| | | | 2.2.3.2 Inhibitors | | | |
| | | | 2.2.3.3 Low Profile Additives (LPA) | 30 | | |
| | | 2.2.4 | Fillers and Reinforcements | 30 | | |
| | | | 2.2.4.1 Glass Fibers | | | |
| | | | 2.2.4.2 Carbon Fibers | | | |
| | | | 2.2.4.3 Aramid Fibers | | | |
| | | 2.2.5 | Comounded Materials | 32 | | |
| | | | 2.2.5.1 Sheet Molding Compound (SMC) | | | |
| | | | 2.2.5.2 Bulk Molding Compound (BMC) | | | |
| | | | 2.2.5.3 Glass-mat Thermoplastic (GMT) | 35 | | |
| | | | 2.2.5.4 Long Fiber Thermoplastic (LFT) | 36 | | |
| | 2.3 | Mech | anical Behavior of Filled and Reinforced Polymers | | | |
| | | 2.3.1 | Anisotropic Strain-Stress Relation | | | |
| | | 2.3.2 | Aligned Fiber Reinforced Composite Laminates | 41 | | |
| | N. | 2.3.3 | Transformation of Fiber Reinforced Composite | | | |
| | | | Laminate Properties | | | |
| | | 2.3.4 | Properties of Compression Molded Plate with a Fibe | | | |
| | | alancurs 28 | Orientation Distribution Function | | | |
| | D.C. | | | | | |



| 3 | Process | ing Fu | ndamentals | 49 |
|---|----------|--|--|--|
| | 3.1 | Mold | Filling | 49 |
| | | 3.1.1 | Material Preparation | 49 |
| | | 3.1.2 | Compression Molding of Thermoplastics | 50 |
| | | 3.1.3 | Compression Molding of Thermosets | 55 |
| | | 3.1.4 | Anomalies During Mold Filling | 60 |
| | | | 3.1.4.1 Fiber-Matrix Separation | 60 |
| | | | 3,1:4.2 Preferential Flow | |
| | | | 3.1.4.3 Knitline Formation | |
| | | | 3.1.4.4 Race Tracking/Flow Hesitation | |
| | 3.2 | Anisc | otropy Development During Processing | 71 |
| | | 3.2.1 | Anisotropy Development in Thermoplastic Parts | |
| | | 3,2.2 | Anisotropy Development in Thermoset Parts | |
| | | 3.2.3 | Quantifying Anisotropy in the Final Part | |
| | | 3.2.4 | Fiber Damage | |
| | 3.3 | Solidi | ification Process | |
| | | 3.3.1 | Solidification of Thermoplastics | |
| | | 3.3.2 | Solidification of Thermosets | . 94 |
| | | 3.3.3 | Residual Stresses and Warpage of Polymeric Parts | 103 |
| | Ref | erences | | |
| 4 | Part Des | sign | тэт тотонотонотонотонопольтонотонотоно | 111 |
| | 4.1 | Geon | netric Considerations | .111 |
| | | 4.1.1 | Design Objectives | |
| | | 4.1.2 | Part Design Guidelines for Compression Molded | |
| | | S - S - 8 - 8 - 8 - 8 - 8 - 8 - 8 - 8 - | The same and the same services and the same services and same serv | |
| | | To do caso | Plastic Parts | .113 |
| | | "S'cd-sdo | Plastic Parts | .113 .113 |
| | | To de a de | Plastic Parts | .113 |
| | | To called a disconnection of the cal | Plastic Parts | .113 115 |
| | | The color of the | Plastic Parts | .113 .115 118 |
| | | 4.1.3 | Plastic Parts. 4.1.2.1 Constant Wall Thickness. 4.1.2.2 Minimize Wall Thickness. 4.1.2.3 Ribs and Bosses. 4.1.2.4 Molded-in Openings. | .113 115 118 122 |
| | | | Plastic Parts. 4.1.2.1 Constant Wall Thickness. 4.1.2.2 Minimize Wall Thickness. 4.1.2.3 Ribs and Bosses. | .113 115 118 122 126 |
| | | | Plastic Parts. 4.1.2.1 Constant Wall Thickness. 4.1.2.2 Minimize Wall Thickness. 4.1.2.3 Ribs and Bosses. 4.1.2.4 Molded-in Openings. Mold Objectives. | ,113 ,.115 ,.118 ,.122 ,.126 ,.126 |
| | | | Plastic Parts. 4.1.2.1 Constant Wall Thickness. 4.1.2.2 Minimize Wall Thickness. 4.1.2.3 Ribs and Bosses. 4.1.2.4 Molded-in Openings. Mold Objectives. 4.1.3.1 Structural Integrity. 4.1.3.2 Part Ejection. | .113 115 118 122 126 .126 |
| | 4.2 | 4.1.3 | Plastic Parts. 4.1.2.1 Constant Wall Thickness. 4.1.2.2 Minimize Wall Thickness. 4.1.2.3 Ribs and Bosses. 4.1.2.4 Molded-in Openings. Mold Objectives. 4.1.3.1 Structural Integrity. | .113 115 122 126 126 127 128 |
| | 4,2 | 4.1.3 | Plastic Parts. 4.1.2.1 Constant Wall Thickness. 4.1.2.2 Minimize Wall Thickness. 4.1.2.3 Ribs and Bosses. 4.1.2.4 Molded-in Openings. Mold Objectives. 4.1.3.1 Structural Integrity. 4.1.3.2 Part Ejection. 4.1.3.3 Shear Edge. | .113 .115 128 126 .126 .127 128 129 |
| | 4,2 | 4.1.3 Simu | Plastic Parts. 4.1.2.1 Constant Wall Thickness. 4.1.2.2 Minimize Wall Thickness. 4.1.2.3 Ribs and Bosses. 4.1.2.4 Moided-in Openings. Mold Objectives. 4.1.3.1 Structural Integrity. 4.1.3.2 Part Ejection. 4.1.3.3 Shear Edge. lation | .113 .115 128 126 126 127 128 129 |
| | 4,2 | 4.1.3 Simu 4.2.1 | Plastic Parts. 4.1.2.1 Constant Wall Thickness. 4.1.2.2 Minimize Wall Thickness. 4.1.2.3 Ribs and Bosses. 4.1.2.4 Molded-in Openings. Mold Objectives. 4.1.3.1 Structural Integrity. 4.1.3.2 Part Ejection. 4.1.3.3 Shear Edge. lation History. Governing Behavior. 4.2.2.1 Flow Models. | .113 .115 126 126 .126 .127 128 129 131 131 |
| | 4,2 | 4.1.3 Simu 4.2.1 | Plastic Parts. 4.1.2.1 Constant Wall Thickness. 4.1.2.2 Minimize Wall Thickness. 4.1.2.3 Ribs and Bosses. 4.1.2.4 Molded-in Openings. Mold Objectives. 4.1.3.1 Structural Integrity. 4.1.3.2 Part Ejection. 4.1.3.3 Shear Edge. lation History. Governing Behavior. 4.2.2.1 Flow Models. 4.2.2.2 Orientation Models. | .113 .115 .118 .122 .126 .126 .127 .128 131 131 132 135 |
| | 4,2 | 4.1.3 Simu 4.2.1 | Plastic Parts. 4.1.2.1 Constant Wall Thickness. 4.1.2.2 Minimize Wall Thickness. 4.1.2.3 Ribs and Bosses. 4.1.2.4 Molded-in Openings. Mold Objectives. 4.1.3.1 Structural Integrity. 4.1.3.2 Part Ejection. 4.1.3.3 Shear Edge. lation History. Governing Behavior. 4.2.2.1 Flow Models. 4.2.2.2 Orientation Models. 4.2.2.3 Heat Transfer Models. | .113 .115 .118 .122 .126 .126 .127 .128 .129 .131 .131 .132 .135 |
| | 4,2 | 4.1.3 Simu 4.2.1 | Plastic Parts. 4.1.2.1 Constant Wall Thickness. 4.1.2.2 Minimize Wall Thickness. 4.1.2.3 Ribs and Bosses. 4.1.2.4 Molded-in Openings. Mold Objectives. 4.1.3.1 Structural Integrity. 4.1.3.2 Part Ejection. 4.1.3.3 Shear Edge. lation History. Governing Behavior. 4.2.2.1 Flow Models. 4.2.2.2 Orientation Models. | .113 .115 .118 .122 .126 .126 .127 .128 .129 .131 .131 .131 .135 .136 .137 |

DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

