





Bayer MaterialScience

Snap-Fit Joints for Plastics



Contents



The illustration above shows a photograph of two snap-fit models taken in polarized light; both have the same displacement (y) and deflective force (P).

Top: The cantilever arm of unsatisfactory design has a constant cross section. The non-uniform distribution of lines (fringes) indicates a very uneven strain in the outer fibers. This design uses 17% more material and exhibits 46% higher strain than the optimal design.

Bottom: The thickness of the optimal snap-fit arm decreases linearly to 30% of the original cross-sectional area. The strain in the outer fibers is uniform throughout the length of the cantilever.

A Snap Joints/General

- Common features
- Types of snap joints
- Comments on dimensioning

B Cantilever Snap Joints

- Hints for design Calculations
- Permissible undercut
- Deflection force, mating force
- Calculation examples

C Torsion Snap Joints

- Deflection
- Deflection force

D Annular Snap Joints

- Permissible undercut
- Mating force
- Calculation example

E Both Mating Parts Elastic


F Symbols


Common features

Snap joints are a very simple, economical and rapid way of joining two different components. All types of snap joints have in common the principle that a protruding part of one component, e.g., a hook, stud or bead is deflected briefly during the joining operation and catches in a depression (undercut) in the mating component.

After the joining operation, the snap-fit features should return to a stress-free condition. The joint may be separable or inseparable depending on the shape of the undercut; the force required to separate the components varies greatly according to the design. It is particularly important to bear the following factors in mind when designing snap joints:

- Mechanical load during the assembly operation.
- Force required for assembly.





Types of snap joints

A wide range of design possibilities exists for snap joints.

In view of their high level of flexibility, plastics are usually very suitable materials for this joining technique.

In the following, the many design possibilities have been reduced to a few basic shapes. Calculation principles have been derived for these basic designs.

The most important are:

- **Cantilever snap joints**

The load here is mainly flexural.

- **U-shaped snap joints**



A variation of the cantilever type.

- **Torsion snap joints**

Shear stresses carry the load.

- **Annular snap joints**

These are rotationally symmetrical and involve multiaxial stresses.



Cantilever snap joints

The four cantilevers on the control panel module shown in Fig. 1 hold the module firmly in place in the grid with their hooks, and yet it can still be removed when required. An economical and reliable snap joint can also be achieved by rigid lugs on one side in combination with snap-fitting hooks on the other (Fig. 2). This design is particularly effective for joining two similar halves of a housing which need to be easily separated. The positive snap joint illustrated in Fig. 3 can transmit considerable forces. The cover can still be removed easily from the chassis, however, since the snap-fitting arms can be re-released by pressing on the two tongues in the direction of the arrow.

The example shown in Fig. 4 has certain similarities with an annular snap joint. The presence of slits, however, means that the load is predominantly flexural; this type of joint is therefore classified as a "cantilever arm" for dimensioning purposes.




Fig. 1: Module for control panels with four cantilever lugs




Fig. 2: Cap with two cantilever and two rigid lugs




Fig. 3: Separable snap joints for a chassis cover




Fig 4: Discontinuous annular snap joint

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.