



Charging Requirements for UMTS Packet -Switched Data Services

Report Number: EX 001/2001

**By
Taiwo Oyedele**

**A Thesis work in Mobile Communications for the
Department of Computing and Electronic Engineering
Chalmers University of Technology
Gothenburg, Sweden**



Acknowledgement

I would like to express my gratitude and appreciation for the invaluable guidance, helpful suggestions, encouragement and support given by Pete Barron. I would also like to thank Nigel Lobley, Nadir El Yakhlifi, Uduak Ekpe and all the members of the Mobile Network Design group at BT Adastral Park, who have in one way or the other influenced and contributed positively to the project work presented in this thesis.

I also express thanks to all my lecturers both at Chalmers University of Technology and at University College London for the knowledge I gained from the course, which has been invaluable to the completion of this project. Special thanks to Erik Ström for his outstanding guidance and encouragement throughout the project phase.

Gratitude and appreciation is also extended to my family for the support provided to me throughout the duration of my Masters course. Above all I would like to show my thanks and appreciation to God for enabling me to successfully complete my Masters programme.

Abstract

Why do we need new charging mechanisms? Packet-Switched services do not require a dedicated path for the duration of the call. Instead, they rely on a virtual connection with the network setting up a real connection only when there is data to be sent/received, and then dropping the connection until more data is ready to be transmitted or received. As a result, network resources are used only when packets are in transmission, and there is thus no clear notion of “the duration of a call”. Hence, users may no longer wish to be charged in the traditional duration-based manner. Besides, in contrast to today’s dedicated networks, (e.g. PSTN, Frame Relay and even GSM) which carry a single application type at a fixed duration-based price, General Packet Radio Service (GPRS) and UMTS are **multi-service** networks. These require flexible pricing models, where price is a function of data volume, QoS provisioned, packet content, etc. For example, voice and video data is more or less continuous, thus requiring network resources more or less for the entire duration of its transfer. Consequently, we can expect voice and video to have a flat per-minute rate, whereas other services, such as, Resource (e.g. file) Access and fax/email applications may be charged on a volume basis, i.e. charged per MB of data transferred. Moreover, voice and video applications require bi-directional latency and bandwidth guarantees, whereas Resource Access and fax/email applications do not have the latency constraint, but may require significant bandwidth depending on the resource being accessed. Hence, QoS plays a significant role in most new charging mechanisms. In other words, a flexible charging mechanism capable of measuring and rating services under various usage-based metrics is paramount.

Due to the packet-based nature of the underlying network technology, these services require novel charging mechanisms, which in turn require extensive data-extraction from various network service elements. This document is not intended to be a technical specification sufficient for practical implementation of network-usage data extraction among service elements participating in the delivery of UMTS IP-based services. Such a technical specification is left to standards bodies and associations like 3GPP, IPDR.org GBA etc. Instead, it is intended to highlight the possible mechanisms that may be implemented for charging UMTS services. It also identifies the network requirements, the limitations and more importantly the possibilities these new charging schemes open up for Mobile Network Operators also known as PLMN operators. Some of these possibilities include additional revenue streams like acquisition of financial transactions, as opposed to solely being a voice/data ‘carrier provider’, as is the case with traditional PLMN operators. The project involved lots of information gathering from the Internet, technical papers, magazines and suppliers. It also required a need to work with people from across BT, Adastral Park to determine their views on how technology will affect the future user experience, and hence, future charging schemes for packet based services.

Table of Contents

Definitions and Abbreviations	6
Introduction.....	9
1 GSM.....	11
1.1 HISTORY.....	11
1.2 CELLULAR SYSTEMS.....	12
1.3 GSM FEATURES AND SERVICES.....	13
1.3.1 Bearer services.....	14
1.3.2 Tele Services.....	14
1.3.3 GSM Supplementary Services.....	14
1.3.4 Advanced Supplementary Services.....	15
1.4 GSM NETWORK ARCHITECTURE AND FUNCTIONAL ELEMENTS.....	15
1.4.1 The Mobile Station (MS).....	15
1.4.2 The Base Station Subsystem (BSS).....	16
1.4.3 The Network Switching Subsystem (NSS).....	16
1.5 PRE-PAID SERVICE (PPS).....	18
1.5.1 Benefits of Pre-paid.....	19
1.5.2 Network Structure.....	19
1.6 CALL SCENARIOS.....	19
1.6.1 Mobile Originated call.....	20
1.6.2 Mobile Terminated Call.....	21
1.7 GSM CHARGING ARCHITECTURE	22
1.7.1 Mobile Originated Calls.....	22
1.7.2 Mobile Terminated Calls.....	23
1.7.3 Call Data Record Parameters.....	25
1.7.4 Pre-paid Service Charging.....	25
1.8 SUMMARY OF THE GSM CHARGING SCHEME.....	26
2 GPRS.....	28
2.1 GPRS OVERVIEW.....	28
2.2 MIGRATION FROM CIRCUIT -SWITCHED TO PACKET -SWITCHED NETWORKS.....	30
2.3 GPRS FEATURES AND SERVICES, BENEFITS AND REQUIREMENTS.....	33
2.3.1 Features and Services.....	33
2.3.2 Benefits.....	34
2.3.3 GPRS Requirements.....	34
2.4 GPRS NETWORK ARCHITECTURE AND FUNCTIONAL ELEMENTS.....	35
2.4.1 GPRS Mobile Terminal.....	35
2.4.2 Serving GPRS Support Node (SGSN).....	36
2.4.3 Gateway GPRS Support Node (GGSN).....	37
2.4.4 Domain Name Server (DNS).....	38
2.4.5 HLR.....	38
2.5 CONNECTING TO THE NETWORK.....	38
2.5.1 GPRS Attach.....	38
2.5.2 PDP Context Activation.....	39
2.5.3 Packet Transfer.....	40
2.6 CALL SCENARIOS.....	42
3 UMTS.....	44
3.1 UMTS OVERVIEW.....	44
3.2 UMTS FEATURES AND SERVICES, REQUIREMENTS AND BENEFITS.....	45
3.2.1 UMTS Features and Services.....	45
3.2.2 UMTS Requirements.....	46
3.2.3 UMTS benefits.....	46
3.3 UMTS NETWORK ARCHITECTURE AND FUNCTIONAL ELEMENTS.....	47
3.3.1 UMTS Subscriber Identity Module (USIM).....	47

3.3.2	<i>Node B</i>	48
3.3.3	<i>Radio Network Controller (RNC)</i>	48
3.3.4	<i>Media Gateway and The Media Gateway Control Function (MGCF)</i>	48
3.3.5	<i>Call Server Control Function (CSCF)</i>	48
4	PACKET-BASED CHARGING.....	49
4.1	GPRS/UMTS CHARGING ARCHITECTURE	49
4.2	PACKET -BASED BILLING ISSUES	50
4.2.1	<i>Volume and complexity of Charge Data Records</i>	51
4.2.2	<i>Complexity and Flexibility Requirement of Packet-Based Billing Systems</i>	51
4.2.3	<i>GPRS/UMTS Pre-Paid charging</i>	52
4.3	POTENTIAL REVENUE OPPORTUNITIES FOR GPRS/UMTS NETWORK OPERATORS.....	53
4.3.1	<i>Legacy ‘Carrier’ or ‘Data pipe provider’</i>	53
4.3.2	<i>Provider of Personalised and Location-based “push” services</i>	53
4.3.3	<i>Internet Service Provider or Portal-type service provider</i>	54
4.3.4	<i>Partnerships with Content providers</i>	55
4.3.5	<i>Payment Method Provider</i>	55
4.4	RECORD TYPES.....	57
4.4.1	<i>S-CDR</i>	57
4.4.2	<i>M-CDR</i>	58
4.4.3	<i>G-CDR</i>	58
4.4.4	<i>S-SMO-CDR and S-SMT-CDR</i>	58
4.5	RECORD CONTENTS.....	59
4.5.1	<i>Charging ID (CID)</i>	59
4.5.2	<i>List of Traffic Data Volumes</i>	59
4.5.3	<i>Access Point Name (APN)</i>	60
4.5.4	<i>Charging Characteristics</i>	60
4.5.5	<i>Quality of Service (QoS)</i>	61
4.6	NETWORK INFRASTRUCTURE REQUIRED FOR BILLING PURPOSES.....	65
4.6.1	<i>Charging Gateway Functionality</i>	66
4.6.2	<i>Mediation</i>	67
4.7	PACKET BASED CHARGING MODELS.....	70
4.7.1	<i>Duration based</i>	71
4.7.2	<i>Subscription-based</i>	73
4.7.3	<i>Volume Based</i>	75
4.7.4	<i>Combination of Subscription and Volume-based or duration-based</i>	77
4.7.5	<i>Event-based</i>	79
4.7.6	<i>Content value based</i>	80
4.8	SUMMARY OF PACKET -SWITCHED CHARGING MODELS.....	82
5	CONCLUSION.....	84
6	APPENDICES	86
7	REFERENCES.....	99

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.