

**3rd Generation Partnership Project;
Technical Specification Group Radio Access Network;
Services provided by the physical layer
(Release 6)**



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented.

Keywords

UMTS, services, radio, layer 1**3GPP**

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2004, 3GPP Organizational Partners (ARIB, CCSA, ETSI, T1, TTA, TTC).
All rights reserved.

Contents

Foreword.....	6
1 Scope	7
2 References	7
3 Definitions and abbreviations.....	7
3.1 Definitions	7
3.2 Abbreviations	7
4 Interfaces to the physical layer	9
4.1 Interface to MAC.....	9
4.2 Interface to RRC.....	9
5 Services and functions of the physical layer	10
5.1 General	10
5.2 Overview of L1 functions.....	10
5.3 L1 interactions with L2 retransmission functionality	11
6 Model of physical layer of the UE	11
6.1 Uplink models	11
6.2 Downlink models	14
7 Formats and configurations for L1 data transfer	19
7.1 General concepts about Transport Channels	19
7.1.1 Transport Block	19
7.1.2 Transport Block Set	19
7.1.3 Transport Block Size	19
7.1.4 Transport Block Set Size	20
7.1.5 Transmission Time Interval	20
7.1.6 Transport Format	20
7.1.6a Transport Format for HS-DSCH.....	21
7.1.7 Transport Format Set	22
7.1.8 Transport Format Combination.....	22
7.1.9 Transport Format Combination Set	23
7.1.10 Transport Format Indicator (TFI)	23
7.1.11 Transport Format Combination Indicator (TFCI)	23
7.1.12 Rate matching	24
7.1.13 HARQ information	24
7.1.14 Transport Format and Resource Indication (TFRI)	24
7.2 Types of Transport Channels.....	25
7.3 Compressed Mode	26
8 UE Simultaneous Physical Channels combinations	27
8.1 FDD Uplink	27
8.2 FDD Downlink	29
8.3 TDD Uplink.....	31
8.3.1 3.84 Mcps TDD Uplink	31
8.3.2 1.28 Mcps TDD Uplink	32
8.4 TDD Downlink.....	34
8.4.1 3.84 Mcps TDD Downlink	34
8.4.2 1.28 Mcps TDD Downlink	35
9 Measurements provided by the physical layer	37
9.1 Model of physical layer measurements	37
9.2 UE Measurements	38
9.2.1 SFN-CFN observed time difference	38
9.2.2 Observed time difference to GSM cell	38
9.2.3 CPICH E _c /N ₀	39
9.2.4 Void	39

9.2.5	CPICH RSCP	39
9.2.6	P-CCPCH RSCP	39
9.2.7	Timeslot ISCP	39
9.2.8	Void	40
9.2.9	SIR	40
9.2.10	UTRA carrier RSSI	40
9.2.11	GSM carrier RSSI	40
9.2.12	Transport channel BLER	40
9.2.13	UE transmitted power	40
9.2.14	UE Rx-Tx time difference	41
9.2.15	SFN-SFN Observed time difference	41
9.2.16	UE GPS Timing of Cell Frames for UE positioning	41
9.2.17	Timing Advance (T_{ADV}) for 1.28 Mcps TDD	41
9.2.18	UE GPS code phase	41
9.3	UTRAN Measurements	42
9.3.1	Received total wide band power	42
9.3.2	Transmitted carrier power	42
9.3.3	Transmitted code power	42
9.3.4	Void	42
9.3.5	Physical channel BER	42
9.3.6	Transport channel BER	42
9.3.7	RX timing deviation	43
9.3.8	Timeslot ISCP	43
9.3.9	RSCP	43
9.3.10	Round Trip Time	43
9.3.11	Void	43
9.3.12	Acknowledged PRACH preambles	43
9.3.13	Detected PCPCH access preambles	44
9.3.14	Acknowledged PCPCH access preambles	44
9.3.15	SIR	44
9.3.16	PRACH/PCPCH Propagation Delay	44
9.3.17	UTRAN GPS Timing of Cell Frames for UE positioning	44
9.3.18	SIR ERROR	44
9.3.19	Received SYNC_UL Timing Deviation	45
9.3.20	Cell Sync Burst Timing	45
9.3.21	Cell Sync Burst SIR	45
9.3.22	SFN-SFN Observed time difference	45
9.3.23	Angle of Arrival (AOA) for 1.28 Mcps TDD	45
9.3.24	HS-SICH reception quality	46
9.3.25	Transmitted carrier power of all codes not used for HS-PDSCH or HS-SCCH transmission	46
9.3.26	UpPTS interference (1.28Mcps TDD)	46
10	Primitives of the physical layer	46
10.1	Generic names of primitives between layers 1 and 2	47
10.1.1	PHY-Access-REQ	47
10.1.2	PHY-Access-CNF	48
10.1.3	PHY-Data-REQ	48
10.1.4	PHY-Data-IND	48
10.1.5	PHY-CPCH_Status-REQ	48
10.1.6	PHY-CPCH_Status-CNF	49
10.1.7	PHY-Status-IND	49
10.2	Generic names of primitives between layers 1 and 3	49
10.2.1	STATUS PRIMITIVES	49
10.2.1.1	CPHY-Sync-IND	49
10.2.1.2	CPHY-Out-of-Sync-IND	50
10.2.1.3	CPHY-Measurement-REQ	50
10.2.1.4	CPHY-Measurement-IND	50
10.2.1.5	CPHY-Error-IND	50
10.2.1.6	CPHY-CPCH-EOT-IND	50
10.2.2	CONTROL PRIMITIVES	51
10.2.2.1	CPHY-TrCH-Config-REQ	51
10.2.2.2	CPHY-TrCH-Config-CNF	51

10.2.2.3	CPHY-TrCH-Release-REQ	51
10.2.2.4	CPHY-TrCH-Release-CNF.....	51
10.2.2.5	CPHY-RL-Setup-REQ	51
10.2.2.6	CPHY-RL-Setup-CNF	52
10.2.2.7	CPHY-RL-Release-REQ.....	52
10.2.2.8	CPHY-RL-Release-CNF.....	52
10.2.2.9	CPHY- RL-Modify-REQ	52
10.2.2.10	CPHY-RL-Modify-CNF	52
10.2.2.11	CPHY-Commit-REQ	52
10.2.2.12	CPHY-CPCH-Estop-IND.....	52
10.2.2.13	CPHY-CPCH-Estop-RESP	53
10.2.2.14	CPHY-CPCH-Estop-REQ.....	53
10.2.2.15	CPHY-CPCH-Estop-CNF	53
10.2.2.16	CPHY-Out-of-Sync-Config-REQ	53
10.2.2.17	CPHY-Out-of-Sync-Config-CNF	53
10.3	Parameter definition.....	53
10.3.1	Error code	53
10.3.2	Event value	53
10.3.3	Access Information	54
10.3.4	Transport Format Subset.....	54
10.3.5	Physical channel description.....	54
10.3.5.1	Primary SCH	54
10.3.5.2	Secondary SCH	54
10.3.5.3	Primary CCPCH.....	54
10.3.5.4	Secondary CCPCH	55
10.3.5.5	PRACH	55
10.3.5.6	Uplink DPDCH+DPCCH.....	55
10.3.5.7	Uplink DPCH	56
10.3.5.8	Downlink DPCH	56
10.3.5.9	PCPCH (Physical Common Packet Channel)	56
10.3.5.10	PICH.....	57
10.3.5.11	AICH.....	57
10.3.5.12	AP-AICH	57
10.3.5.13	CD-ICH	57
10.3.5.14	CD/CA-ICH	57
10.3.5.15	CSICH	58
10.3.5.16	PDSCH.....	58
10.3.5.17	PUSCH.....	58
10.3.5.18	DwPCH (1.28 Mcps TDD only).....	58
10.3.5.19	UpPCH (1.28 Mcps TDD only)	59
10.3.5.20	FPACH (1.28 Mcps TDD only)	59
10.3.5.21	PNBSCH (Physical Node B Synchronisation channel)	59
10.3.5.22	HS-SCCH.....	59
10.3.5.23	HS-SICH (TDD only)	59
10.3.6	Feedback information	59
10.3.7	HARQ process	59
10.3.8	HS-DSCH information	59
10.3.9	HARQ status.....	60
11	Transport block transmission	60
Annex A (normative): Description of Transport Formats.....	61	
Annex B (informative): Example of Transport format attributes for AMR speech codec.....	63	
Annex C (informative): Change history	64	

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.