

Advanced Configuration and Power Interface Specification

**Hewlett-Packard Corporation
Intel Corporation
Microsoft Corporation
Phoenix Technologies Ltd.
Toshiba Corporation**

**Revision 3.0
September 2, 2004**

Contents

1 INTRODUCTION	9
1.1 Principal Goals	9
1.2 Power Management Rationale	9
1.3 Legacy Support.....	9
1.4 OEM Implementation Strategy.....	9
1.5 Power and Sleep Buttons	9
1.6 ACPI Specification and the Structure Of ACPI	9
1.7 OS and Platform Compliance.....	9
1.7.1 Platform Implementations of ACPI-defined Interfaces	9
1.7.2 OSPM Implementations	9
1.7.3 OS Requirements.....	9
1.8 Target Audience	9
1.9 Document Organization.....	9
1.9.1 ACPI Introduction and Overview	9
1.9.2 Programming Models	9
1.9.3 Implementation Details.....	9
1.9.4 Technical Reference	9
1.10 Related Documents.....	9
2 DEFINITION OF TERMS	9
2.1 General ACPI Terminology	9
2.2 Global System State Definitions	9
2.3 Device Power State Definitions.....	9
2.4 Sleeping State Definitions	9
2.5 Processor Power State Definitions	9
2.6 Device and Processor Performance State Definitions.....	9
3 ACPI OVERVIEW.....	9
3.1 System Power Management	9
3.2 Power States.....	9
3.2.1 Power Button.....	9
3.2.2 Platform Power Management Characteristics.....	9
3.3 Device Power Management	9
3.3.1 Power Management Standards	9
3.3.2 Device Power States	9
3.3.3 Device Power State Definitions.....	9
3.4 Controlling Device Power	9
3.4.1 Getting Device Power Capabilities.....	9
3.4.2 Setting Device Power States	9
3.4.3 Getting Device Power Status	9
3.4.4 Waking the Computer.....	9
3.4.5 Example: Modem Device Power Management	9
3.5 Processor Power Management	9
3.6 Device and Processor Performance States	9
3.7 Configuration and “Plug and Play”.....	9
3.7.1 Device Configuration Example: Configuring the Modem	9
3.7.2 NUMA Nodes.....	9
3.8 System Events.....	9
3.9 Battery Management.....	9
3.9.1 Battery Communications	9
3.9.2 Battery Capacity	9
3.9.3 Battery Gas Gauge.....	9

3.9.4 Low Battery Levels	9
3.9.5 Battery Calibration	9
3.10 Thermal Management.....	9
3.10.1 Active and Passive Cooling Modes	9
3.10.2 Performance vs. Energy Conservation.....	9
3.10.3 Acoustics (Noise)	9
3.10.4 Multiple Thermal Zones	9
4 ACPI HARDWARE SPECIFICATION.....	9
4.1 Fixed Hardware Programming Model	9
4.1.1 Functional Fixed Hardware	9
4.2 Generic Hardware Programming Model	9
4.3 Diagram Legends	9
4.4 Register Bit Notation.....	9
4.5 The ACPI Hardware Model	9
4.5.1 Hardware Reserved Bits	9
4.5.2 Hardware Ignored Bits.....	9
4.5.3 Hardware Write-Only Bits.....	9
4.5.4 Cross Device Dependencies	9
4.6 ACPI Hardware Features.....	9
4.7 ACPI Register Model.....	9
4.7.1 ACPI Register Summary	9
4.7.2 Fixed Hardware Features.....	9
4.7.3 Fixed Hardware Registers	9
4.7.4 Generic Hardware Registers	9
5 ACPI SOFTWARE PROGRAMMING MODEL	9
5.1 Overview of the System Description Table Architecture.....	9
5.1.1 Address Space Translation	9
5.2 ACPI System Description Tables.....	9
5.2.1 Reserved Bits and Fields	9
5.2.2 Compatibility.....	9
5.2.3 Address Format	9
5.2.4 Universal Uniform Identifiers (UUID)	9
5.2.5 Root System Description Pointer (RSDP)	9
5.2.6 System Description Table Header	9
5.2.7 Root System Description Table (RSDT)	9
5.2.8 Extended System Description Table (XSDT).....	9
5.2.9 Fixed ACPI Description Table (FADT)	9
5.2.10 Firmware ACPI Control Structure (FACS)	9
5.2.11 Definition Blocks.....	9
5.2.12 Global System Interrupts	9
5.2.13 Smart Battery Table (SBST).....	9
5.2.14 Embedded Controller Boot Resources Table (ECDT).....	9
5.2.15 System Resource Affinity Table (SRAT)	9
5.2.16 System Locality Distance Information Table (SLIT)	9
5.3 ACPI Namespace.....	9
5.3.1 Predefined Root Namespaces	9
5.3.2 Objects.....	9
5.4 Definition Block Encoding.....	9
5.5 Using the ACPI Control Method Source Language	9
5.5.1 ASL Statements	9
5.5.2 Control Method Execution	9
5.6 ACPI Event Programming Model	9
5.6.1 ACPI Event Programming Model Components.....	9
5.6.2 Types of ACPI Events	9
5.6.3 Device Object Notifications	9

5.6.4 Device Class-Specific Objects.....	9
5.6.5 Defined Generic Objects and Control Methods.....	9
5.7 Predefined Objects	9
5.7.1 _GL (Global Lock Mutex).....	9
5.7.2 _OSI (Operating System Interfaces).....	9
5.7.3 _OS (OS Name Object).....	9
5.7.4 _REV (Revision Data Object).....	9
5.8 System Configuration Objects.....	9
5.8.1 _PIC Method	9
6 CONFIGURATION	9
6.1 Device Identification Objects	9
6.1.1 _ADR (Address).....	9
6.1.2 _CID (Compatible ID).....	9
6.1.3 _DDN (DOS Device Name).....	9
6.1.4 _HID (Hardware ID)	9
6.1.5 _MLS (Multiple Language String).....	9
6.1.6 _PLD (Physical Device Location).....	9
6.1.7 _STR (String)	9
6.1.8 _SUN (Slot User Number)	9
6.1.9 _UID (Unique ID)	9
6.2 Device Configuration Objects	9
6.2.1 _CRS (Current Resource Settings).....	9
6.2.2 _DIS (Disable).....	9
6.2.3 _DMA (Direct Memory Access)	9
6.2.4 _FIX (Fixed Register Resource Provider)	9
6.2.5 _GSB (Global System Interrupt Base).....	9
6.2.6 _HPP (Hot Plug Parameters)	9
6.2.7 _HPX (Hot Plug Parameter Extensions).....	9
6.2.8 _MAT (Multiple APIC Table Entry).....	9
6.2.9 _OSC (Operating System Capabilities)	9
6.2.10 _PRS (Possible Resource Settings).....	9
6.2.11 _PRT (PCI Routing Table)	9
6.2.12 _PXM (Proximity).....	9
6.2.13 _SLI (System Locality Information).....	9
6.2.14 _SRS (Set Resource Settings).....	9
6.3 Device Insertion, Removal, and Status Objects	9
6.3.1 _EDL (Eject Device List)	9
6.3.2 _EJD (Ejection Dependent Device).....	9
6.3.3 _EJx (Eject)	9
6.3.4 _LCK (Lock)	9
6.3.5 _OST (OSPM Status Indication)	9
6.3.6 _RMV (Remove)	9
6.3.7 _STA (Status)	9
6.4 Resource Data Types for ACPI.....	9
6.4.1 ASL Macros for Resource Descriptors	9
6.4.2 Small Resource Data Type	9
6.4.3 Large Resource Data Type	9
6.5 Other Objects and Control Methods	9
6.5.1 _INI (Init)	9
6.5.2 _DCK (Dock)	9
6.5.3 _BDN (BIOS Dock Name)	9
6.5.4 _REG (Region)	9
6.5.5 _BBN (Base Bus Number)	9
6.5.6 _SEG (Segment).....	9
6.5.7 _GLK (Global Lock)	9

7 POWER AND PERFORMANCE MANAGEMENT	9
 7.1 Declaring a Power Resource Object	9
7.1.1 Defined Child Objects for a Power Resource	9
7.1.2 _OFF	9
7.1.3 _ON	9
7.1.4 _STA (Status)	9
 7.2 Device Power Management Objects	9
7.2.1 _DSW (Device Sleep Wake)	9
7.2.2 _PS0 (Power State 0)	9
7.2.3 _PS1 (Power State 1)	9
7.2.4 _PS2 (Power State 2)	9
7.2.5 _PS3 (Power State 3)	9
7.2.6 _PSC (Power State Current)	9
7.2.7 _PR0 (Power Resources for D0)	9
7.2.8 _PR1 (Power Resources for D1)	9
7.2.9 _PR2 (Power Resources for D2)	9
7.2.10 _PRW (Power Resources for Wake)	9
7.2.11 _PSW (Power State Wake)	9
7.2.12 _IRC (In Rush Current)	9
7.2.13 _S1D (S1 Device State)	9
7.2.14 _S2D (S2 Device State)	9
7.2.15 _S3D (S3 Device State)	9
7.2.16 _S4D (S4 Device State)	9
7.2.17 _S0W (S0 Device Wake State)	9
7.2.18 _S1W (S1 Device Wake State)	9
7.2.19 _S2W (S2 Device Wake State)	9
7.2.20 _S3W (S3 Device Wake State)	9
7.2.21 _S4W (S4 Device Wake State)	9
 7.3 OEM-Supplied System-Level Control Methods	9
7.3.1 _BFS (Back From Sleep)	9
7.3.2 _PTS (Prepare To Sleep)	9
7.3.3 _GTS (Going To Sleep)	9
7.3.4 System _Sx states	9
7.3.5 _SWS (System Wake Source)	9
7.3.6 _TTS (Transition To State)	9
7.3.7 _WAK (System Wake)	9
 7.4 OSPM usage of _GTS, _PTS, _TTS, _WAK, and _BFS	9
8 PROCESSOR POWER AND PERFORMANCE STATE CONFIGURATION AND CONTROL ..	9
 8.1 Processor Power States	9
8.1.1 Processor Power State C0	9
8.1.2 Processor Power State C1	9
8.1.3 Processor Power State C2	9
8.1.4 Processor Power State C3	9
8.1.5 Additional Processor Power States	9
 8.2 Flushing Caches	9
 8.3 Power, Performance, and Throttling State Dependencies	9
 8.4 Declaring Processors	9
8.4.1 _PDC (Processor Driver Capabilities)	9
8.4.2 Processor Power State Control	9
8.4.3 Processor Throttling Controls	9
8.4.4 Processor Performance Control	9
9 ACPI-DEVICES AND DEVICE SPECIFIC OBJECTS	9
 9.1 _SI System Indicators	9
9.1.1 _SST (System Status)	9
9.1.2 _MSG (Message)	9

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.