

# SAN FRANCISCO EMS AGENCY PROTOCOL MANUAL

## TABLE OF CONTENTS

January 30, 2017

PROTOCOL NUMBER	TITLE	EFFECTIVE DATE
	<b>Section 1: Assessment</b>	
1.01	Patient Assessment – Primary Survey	03/01/2015
1.02	Patient Assessment – Secondary Survey	03/01/2015
	<b>Section 2: Medical</b>	
2.01	Abdominal Discomfort	03/01/2015
2.02	Allergic Reaction	01/30/2017
2.03	Altered Mental Status	01/30/2017
2.04	Cardiac Arrest	01/30/2017
2.05	Post Cardiac Arrest/ROSC	01/30/2017
2.06	Chest Pain/Acute Coronary Syndrome	01/30/2017
2.07	Dysrhythmias: Bradycardia	03/01/2015
2.08	Dysrhythmias: Tachycardia	03/01/2015
2.09	Pain Control	03/01/2015
2.10	Poisoning and Overdose	03/01/2015
2.11	Respiratory Distress: Bronchospasm	03/01/2015
2.12	Respiratory Distress: Acute Pulmonary Edema	03/01/2015
2.13	Seizures	03/01/2015
2.14	Stroke	03/01/2015
2.15	Suspected Sepsis	03/01/2015
2.16	Shock	03/01/2015
	<b>Section 3: Environmental</b>	
3.01	Bites, Stings and Envenomation	03/01/2015
3.02	Decompression Illness	03/01/2015
3.03	(Near) Drowning	03/01/2015
3.04	Hazardous Materials Overview	03/01/2015
3.05	Hyperthermia	03/01/2015
3.06	Hypothermia	03/01/2015
	<b>Section 4: Trauma</b>	
4.01	General Trauma: Evaluation and Overview	03/01/2015
4.02	Traumatic Cardiac Arrest	03/01/2015
4.03	Head, Neck, and Facial Trauma	03/01/2015

4.04	Chest, Abdominal and Pelvic Trauma	03/01/2015
4.05	Extremity Trauma	03/01/2015
4.06	Burns	03/01/2015
	<b>Section 5: GYN &amp; OB</b>	
5.01	Gynecological and Obstetrical Emergencies	01/30/2017
	<b>Section 6: Behavioral</b>	
6.01	Agitated / Violent Patient	03/01/2015
	<b>Section 7: Procedures</b>	
7.01	Airway Management	03/01/2015
7.02	Oral Endotracheal Intubation	01/30/2017
7.03	Extraglottic Airway	03/01/2015
7.04	Nasotracheal Intubation	01/30/2017
7.05	Needle Cricothyroidotomy	03/01/2015
7.06	Needle Thoracostomy	03/01/2015
7.07	Continuous Positive Airway Pressure (CPAP)	03/01/2015
7.08	Pulse Oximetry	03/01/2015
7.09	Carboxyhemoglobin Monitoring	03/01/2015
7.10	12-Lead ECG	01/30/2017
7.11	Spinal Motion Restriction	03/01/2015
7.12	Vascular Access with Intraosseous Device	03/01/2015
7.13	Vascular Access with Pre-Existing Vascular Access Device	03/01/2015
7.14	Reporting Assault / Abuse	03/01/2015
7.15	Splinting	03/01/2015
	<b>Section 8: Pediatric Medical</b>	
8.01	Pediatric Allergic Reaction	03/01/2015
8.02	Pediatric Altered Mental Status	03/01/2015
8.03	Pediatric Dysrhythmias: Bradycardia	03/01/2015
8.04	Pediatric Dysrhythmias: Tachycardia	03/01/2015
8.05	Pediatric Cardiac Arrest: Neonatal Resuscitation	03/01/2015
8.06	Pediatric Cardiac Arrest: Bradyasystole and PEA	03/01/2015
8.07	Pediatric Cardiac Arrest: VF/Pulseless VT	03/01/2015
8.08	Pediatric Poison and Overdose	03/01/2015
8.09	Pediatric Respiratory Distress	03/01/2015
8.10	Pediatric Seizures	03/01/2015
8.11	Pediatric Shock	03/01/2015
	<b>Section 9: Pediatric Trauma</b>	
9.01	Pediatric Trauma	03/01/2015
9.02	Pediatric Burns	03/01/2015

	<b>Section 10: Pediatric Behavioral</b>	
10.01	Pediatric Agitated/Violent Patient	03/01/2015
	<b>Section 11: Special Circumstances</b>	
11.01	Austere Care Protocol	03/01/2015
11.02	Crush Syndrome	03/01/2015
11.03	Chemicals & Radiation	03/01/2015
11.04	Field Amputation	03/01/2015
11.05	Blast Injury	03/01/2015
	<b>Section 12: Critical Care Transport Paramedic</b>	
12.01	Intravenous Infusion of Nitroglycerin	03/01/2015
12.02	Intravenous Infusion of Heparin	03/01/2015
12.03	Intravenous Infusion of Potassium Chloride	03/01/2015
12.04	Intravenous Infusion of Amiodarone	03/01/2015
12.05	Monitoring of Thoracostomy Tube	03/01/2015
12.06	Stoma and Tracheostomy Care	03/01/2015
12.07	Chemical Sedation for Ventilator Dependent and Agitated Patients	03/01/2015
12.08	Automatic Transport Ventilators	03/01/2015
12.09	Intravenous Infusion of Blood/Blood Products	03/01/2015
12.10	Intravenous Infusion of Glycoprotein IIb/IIIa Receptor Inhibitors	03/01/2015
12.11	Intravenous Infusion of Total Parental Nutrition (TPN)	03/01/2015
12.12	Intravenous Infusion of Morphine Sulfate	03/01/2015
12.13	Intravenous Infusion of Midazolam	03/01/2015
	<b>Section 13: References</b>	
I	Medication List	03/01/2015
II	Abbreviations	03/01/2015
III	Pediatric Dosage Chart	03/01/2015

## Summary of Changes effective January 30, 2017

<b>Summary of Protocol Revisions</b>			
Protocol Number	Title	Action Taken	Details
2.02	Allergic Reaction	Revision	<p><b>BLS Treatment:</b> Added administration of intramuscular epinephrine by auto-injector for suspected anaphylaxis and/or severe asthma by trained EMT (new in state scope of practice for EMTs).</p> <ul style="list-style-type: none"> <li>Epi added to EMT scope of practice due to statewide push to expand availability of treatment for anaphylaxis and/or severe asthma.</li> <li>Change added to Policy 2000 Personnel Standards and Scope of Practice</li> </ul>
2.03	Altered Mental Status	Revision	<p><b>BLS Treatment:</b> Added Naloxone IN by trained EMTs (new in state scope of practice for EMTs).</p> <ul style="list-style-type: none"> <li>Narcan added to EMT scope of practice due to statewide push to expand availability of treatment for opioid overdoses.</li> <li>Change added to Policy 2000 Personnel Standards and Scope of Practice.</li> </ul>
2.04	Cardiac Arrest	Revision	<p><b>ALS Treatment:</b> Added Double Simultaneous External Defibrillation (DSED) (also called "dual defibrillation") for refractory pulseless V fib /V tach.</p> <ul style="list-style-type: none"> <li>Recent change in medical literature suggests DSED may convert persistent VF / VT due to change in energy vector.</li> </ul> <p><b>LVAD:</b></p> <ul style="list-style-type: none"> <li>Minor edits to #9 to clarify Base Hospital vs. LVAD center field contact.</li> <li>Added LVAD patient destination considerations for LVAD center (where the patient had the device implanted) in #10.</li> </ul>
2.05	Post Arrest & ROSC	Revision	Revised to conform to AHA 2015 guidelines for targeted temperature management by checking and maintaining temperature between 32 and 36 degrees Celsius for adults and 36.5 – 37.5 degrees Celsius for newborns.
2.06	Chest Pain	Revision	<b>ALS Treatment:</b> Added if 12-lead EKG interpretation is compatible with "STEMI" per EKG protocol, initiate transport and notification of the appropriate STAR center.
5.01	GYN & OB	Revision	Added AHA guidelines on neonatal temperature management in the comments section: <ul style="list-style-type: none"> <li>Newborn hypothermia can occur within minutes. Keep the baby on the mother's belly skin to skin until the cord is clamped. If continued access to the infant is necessary (e.g. for positive pressure ventilation) keep the baby warm including the use of warmed blankets or radiant warmer if available).</li> </ul>
7.02	Oral Endotracheal Intubation	Revision	<ul style="list-style-type: none"> <li>Added requirement for end tidal CO2 monitoring to confirm tube placement.</li> <li>Added requirement for continuous end tidal CO2 monitoring post-intubation.</li> </ul>
7.04	Nasotracheal Intubation	Revision	<ul style="list-style-type: none"> <li>Added requirement for end tidal CO2 monitoring to confirm tube placement.</li> <li>Added requirement for continuous end tidal CO2 monitoring post-intubation.</li> </ul>
7.10	12-Lead EKG	Revision	<ul style="list-style-type: none"> <li>Revised case definition for STEMI adding ***acute STEMI*** to EKG criteria and minimum ST elevation criteria to correct oversight in current protocol.</li> <li>Training requirement moved to a separate training guidance that will</li> </ul>

## CITY AND COUNTY OF SAN FRANCISCO

### PREHOSPITAL CARE VISION AND ETHICS STATEMENT

2015

*Our EMS community consists of a team of health care professionals including EMT-1's, Paramedics, Nurses, Physicians, Researchers, Dispatchers and system Educators and Administrators. This statement defines our goals and ethical responsibilities and is beneficial in guiding our practice.*

#### ***We believe that...***

- We exist to provide the best possible emergency care to the residents and visitors of the City and County of San Francisco at all times and in all places.
- Competent medical care must be provided with compassion and regard for human dignity to all persons, regardless of ethnicity, race, creed, gender, economic status, sexual orientation, gender identity, age or response to our care.
- Patients who are competent have the right to determine what shall be done with their body and to receive or refuse medical service and to know the consequences of their decision.
- We are accountable for providing medical care to the best of our ability and for accurately documenting our care.
- Patients and colleagues must be dealt with in an honest and truthful manner in all matters pertaining to our prehospital care.
- The highest standard of professional conduct must be maintained with providing medical care, including respect, confidentiality and maintenance of personal competence and teaching other members of the prehospital community.
- We are responsible for upholding the standards of the profession and for participating in activities that contribute to its growth and improve our community.
- We must obey and respect the law and not participate in any professionally unethical activities. We refuse to let personal considerations such as economic gain or convenience influence our provision of patient care, and we refrain from activities which may impair our professional judgment and our ability to act competently.
- Our EMS system, organization, supervisors, peers and subordinates deserve our utmost loyalty.
- Where conflicts of interest arise, our professional judgments should always be guided by our ultimate obligation which is to our patients and the public that we serve.
- We are committed to accomplishing our job; and that commitment stems from the desire to be the best we can possibly be and the affirmation of all the preceding elements of this code.

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.