
Exhibit 27 – Infringement Claim Chart for U.S. Patent No. 7,490,749

U.S. 7,490,749 – Claim 1	SureForm Stapler and Reloads <sup>1</sup>
1. A surgical instrument, comprising:	The SureForm 60 with a SureForm 60 Reload installed is a surgical instrument for stapling and transecting tissue.
	1.7 Device Description  The SureForm 60, when used with the compatible SureForm 60 reloads, delivers multiple rows of staples and transects the tissue along the middle of the staple line. The SureForm 60 and the SureForm 60 reloads (available in various sizes) are single-use/disposable devices.
	Exhibit 29 at p. 9
a handle assembly;	The SureForm 60 comprises a handle assembly:    Housing   Housing   Stapler Name   Release Button   Shaft   Manual Release   Knob   Knob   Release   Knob   Release   Knob   Release   Rel
	Exhibit 29 at p. 11 (annotations in red)

<sup>&</sup>lt;sup>1</sup> The SureForm Stapler and Reloads includes (1) SureForm 60 Stapler for use with the *da Vinci X/Xi Surgical System*; (2) SureForm 60 Reloads (white, blue, green, black); (3) SureForm 45 Stapler for use with the *da Vinci X/Xi Surgical System*; and (4) SureForm 45 Reloads (white, blue, green, black).

1









U.S. 7,490,749 – Claim 1	SureForm Stapler and Reloads <sup>1</sup>
U.S. 7,490,749 – Claim 1	Always use two hands when installing the stapler; one hand holding the jaws closed and the other supporting the housing of the stapler. Insert the instrument tip into the cannula and slide the instrument housing into the sterile adapter.
	Figure 2.6 Inserting the instrument into the cannula and sterile adapter
	Exhibit 29 at p. 17 (annotations in yellow)
an end effector for performing a surgical operation, said end effector operably coupled to said handle assembly and operably supporting a firing member that is movable from a retracted position to a fired position	The SureForm 60 with a SureForm 60 Reload comprises an end effector for performing a surgical operation—stapling and cutting tissue. The end effector is operably coupled to said handle assembly ( <i>i.e.</i> , housing) via the shaft and operably supports a firing member ( <i>i.e.</i> , I-beam) that is movable from a retracted position to a fired position in response to a longitudinal firing motion applied thereto. The end effector of the SureForm 60 includes two jaws: a Reload Channel and an Anvil.











# DOCKET A L A R M

# Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## **Real-Time Litigation Alerts**



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## **Advanced Docket Research**



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

### **Analytics At Your Fingertips**



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

#### API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

#### **LAW FIRMS**

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

#### **FINANCIAL INSTITUTIONS**

Litigation and bankruptcy checks for companies and debtors.

### **E-DISCOVERY AND LEGAL VENDORS**

Sync your system to PACER to automate legal marketing.

