

Baillière Tindall
W. B. Saunders Company Ltd 24-28 Oval Road
London NW1 7DX

The Curtis Center
Independence Square West
Philadelphia, PA 19106-3399, USA

Harcourt Brace & Company
55 Horner Avenue
Toronto, Ontario M8Z 4X6, Canada

Harcourt Brace & Company, Australia
30-52 Smidmore Street
Marrickville, NSW 2204, Australia

Harcourt Brace & Company, Japan
Ichibancho Central Building, 22-1 Ichibancho
Chiyoda-ku, Tokyo 102, Japan

© 1994 Baillière Tindall

This book is printed on acid-free paper

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior permission of W. B. Saunders Company Ltd, 24-28 Oval Road, London NW1 7DX, England

A catalogue record for this book is available from the British Library

ISBN 0-7020-1613-6

Typeset by Alden Multimedia, Northampton, England
Printed in Great Britain by Butler and Tanner, Frome, Somerset

Contents

Contributors	ix
Introduction	xi

General Principles

1. Sites and mechanisms of drug action	3
2. Pharmacokinetics	11
3. Drug discovery, evaluation and safety	41
4. The autonomic nervous system	47

Cardiovascular System

5. Introduction to the cardiovascular system	59
6. Ischaemic heart disease	63
7. Hypertension	71
8. Positive inotropic agents and heart failure	79
9. Cardiac arrhythmias	85
10. Haemostasis	93

Respiratory System

11. Asthma	103
12. Respiratory stimulants	109
13. Cough	111

Kidney and Urinary Tract

14. Functions of the kidney	115
15. Diuretics	119
16. Bladder dysfunction	125

The Nervous System

17. Introduction to the nervous system	129
18. General anaesthetics	135
19. Local anaesthetics	141
20. Narcotic or opiate analgesics	145
21. Anxiolytics, sedatives and hypnotics	153
22. Psychotic disorders	157
23. Depression	161
24. Epilepsy	167
25. Extrapyrarnidal movement disorders and spasticity	173
26. Migraine	179

This material was copied
at the NLM and may be
Subject US Copyright Laws

2

Pharmacokinetics

CHAPTER SUMMARY

The biological basis of pharmacokinetics	11	Elimination	19	Distribution	29
General considerations	12	The mathematical basis of pharmacokinetics	26	Elimination	32
Absorption	14	General considerations	26	Chronic administration	36
Distribution	16	Absorption	27	Factors affecting pharmacokinetics	37

The therapeutic effects seen when a drug is taken by a patient, for example lowering of blood pressure, are determined by the pharmacological properties of the compound. These effects are usually produced by an interaction of the drug with a specific macromolecule, such as a receptor or enzyme (Chapter 1). This aspect is termed the *pharmacodynamics* of the drug and is the subject of subsequent chapters. In contrast, the time to onset of action and the duration and intensity of effect are usually determined by the rate at which the drug is transferred from the site of administration to the site of action and the rate at which it is eliminated from the body by metabolism or excretion. These aspects are called the *pharmacokinetics* of the drug which, as the name implies, is concerned with all processes involved in the movements of the drug within the body.

Pharmacokinetics may be divided into three basic processes:

- (1) *Absorption* — The transfer of the drug from the site of administration to the general circulation.
- (2) *Distribution* — the transfer of the drug from the general circulation into the different organs of the body.
- (3) *Elimination* — the removal of the drug from the body which may involve either *excretion* or *metabolism*.

Each of these processes will be described in terms of their chemical, biochemical and physio-

logical basis and in mathematical terms. For many students the mathematics remain abstract concepts that seem to relate poorly to the more readily understood biology of the processes. To help to relate the biology to the mathematics, those clinical variables which can affect drug handling, such as drug interactions, age and disease, are discussed at the end of the chapter in both biological and mathematical terms.

THE BIOLOGICAL BASIS OF PHARMACOKINETICS

It will be readily apparent to the student familiar with the intermediary metabolism of carbohydrates, fats, proteins, etc. that most of the drug structures given in this book bear little resemblance to such endogenous molecules. Although drugs may bind to particular macromolecular sites, such as the receptor for a specific neurotransmitter, they are only rarely substrates for the carrier processes or metabolizing enzymes which handle the natural ligand. Thus the movement of drugs around the body is usually by simple passive diffusion, whilst metabolism is usually by "drug metabolizing enzymes" of low substrate specificity. However, students should be aware that there are exceptions to each of the generalizations in this chapter but that these generalizations provide an essential framework.

This material was copied
at the NLM and may be
Subject US Copyright Laws




Figure 2.10 The enterohepatic circulation of drugs.

the lower intestine may hydrolyse the conjugate back to the original substrate and glucuronic acid. The original substrate will have a greater lipid solubility and therefore be absorbed from the gut lumen and enter the hepatic portal vein (see Fig. 2.10).

THE MATHEMATICAL BASIS OF PHARMACOKINETICS

The use of mathematics to describe the fate of a drug in the body can be complex and rather daunting for undergraduates. Nevertheless, a basic understanding is invaluable for an appreciation of many aspects of drug handling and for the rational prescribing of drugs. The following account describes the fate of a single dose of a drug and the mathematics of absorption, distribution and elimination, before brief considerations of chronic administration and factors which can affect pharmacokinetic processes.

GENERAL CONSIDERATIONS

Two different but complimentary approaches are used:

- (1) *Compartmental analysis* — in which the plasma concentration–time curve is described by an equation containing one or more exponential functions. This approach gives a precise description of concentration–time relationships and allows the prediction of the concentration of the drug in plasma at any time after dosing. This approach requires an appropriate model to be defined and fitted to the data. However, it provides little information on the physiological disposition of the compound.
- (2) *Model independent analysis* — may be related more closely to the physiological processes governing the disposition of the chemical and therefore is more useful in predicting and assessing the influence of variables such as disease, age and the administration of other compounds. However, this approach cannot be used to predict the concentration at any time after dosing (unless the compound fits the simplest model possible).

The model independent methods are of greater potential value to medical undergraduates and are the basis of the following account.

Each of the three basic processes of absorption, distribution and elimination will be described in terms of *rate*, that is the speed at which a process occurs, and *extent*, that is the proportion of the dose which is handled by the process.

Before each process is considered in detail it is necessary to define the different types or orders of reaction which commonly occur. If we consider a simple decrease in concentration (e.g. during drug elimination) there are two important types of reaction possible:

- (a) *Zero order reactions* — in which the change in concentration $\frac{dC}{dt}$ occurs at a fixed amount per time, that is:

$$\frac{dC}{dt} = -k$$

The units of k (the reaction rate constant) will be an amount per unit time (e.g. $\mu\text{g ml}^{-1} \text{min}^{-1}$ or $\mu\text{g min}^{-1}$). A graph of concentration against time will produce a straight line with a slope of $-k$ (Fig. 2.11); examples are ethanol (see Chapter 58) and phenytoin (see Chapter 24).

This material was copied at the NLM and may be

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.