

Universal Mobile Telecommunications System (UMTS); Characteristics of the USIM application (3GPP TS 31.102 version 6.8.0 Release 6)



Reference

RTS/TSGT-0331102v680

Keywords

UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2004.
All rights reserved.

DECT™, PLUGTESTS™ and UMTS™ are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the TIPHON logo are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Contents

| | |
|--|----|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Foreword..... | 9 |
| Introduction | 9 |
| 1 Scope | 10 |
| 2 References | 10 |
| 3 Definitions, symbols, abbreviations and coding conventions | 12 |
| 3.1 Definitions | 12 |
| 3.2 Symbols | 12 |
| 3.3 Abbreviations | 12 |
| 3.4 Coding Conventions | 14 |
| 4 Contents of the Files..... | 14 |
| 4.1 Contents of the EFs at the MF level | 14 |
| 4.2 Contents of files at the USIM ADF (Application DF) level..... | 14 |
| 4.2.1 EF _{LI} (Language Indication)..... | 15 |
| 4.2.2 EF _{IMSI} (IMSI) | 15 |
| 4.2.3 EF _{Keys} (Ciphering and Integrity Keys) | 16 |
| 4.2.4 EF _{KeysPS} (Ciphering and Integrity Keys for Packet Switched domain) | 17 |
| 4.2.5 EF _{PLMNwAcT} (User controlled PLMN selector with Access Technology) | 17 |
| 4.2.6 EF _{HPPLMN} (Higher Priority PLMN search period)..... | 18 |
| 4.2.7 EF _{ACMmax} (ACM maximum value)..... | 19 |
| 4.2.8 EF _{UST} (USIM Service Table)..... | 20 |
| 4.2.9 EF _{ACM} (Accumulated Call Meter)..... | 22 |
| 4.2.10 EF _{GID1} (Group Identifier Level 1) | 23 |
| 4.2.11 EF _{GID2} (Group Identifier Level 2) | 23 |
| 4.2.12 EF _{SPN} (Service Provider Name) | 24 |
| 4.2.13 EF _{PUCT} (Price per Unit and Currency Table)..... | 25 |
| 4.2.14 EF _{CBMI} (Cell Broadcast Message identifier selection) | 26 |
| 4.2.15 EF _{ACC} (Access Control Class)..... | 26 |
| 4.2.16 EF _{FPLMN} (Forbidden PLMNs) | 27 |
| 4.2.17 EF _{LOCI} (Location Information)..... | 27 |
| 4.2.18 EF _{AD} (Administrative Data)..... | 28 |
| 4.2.19 Void | 30 |
| 4.2.20 EF _{CBMID} (Cell Broadcast Message Identifier for Data Download)..... | 30 |
| 4.2.21 EF _{ECC} (Emergency Call Codes) | 31 |
| 4.2.22 EF _{CBMIR} (Cell Broadcast Message Identifier Range selection) | 32 |
| 4.2.23 EF _{PSLOCI} (Packet Switched location information) | 32 |
| 4.2.24 EF _{FDN} (Fixed Dialling Numbers) | 34 |
| 4.2.25 EF _{SMS} (Short messages) | 34 |
| 4.2.26 EF _{MSISDN} (MSISDN) | 35 |
| 4.2.27 EF _{SMSP} (Short message service parameters)..... | 36 |
| 4.2.28 EF _{SMSS} (SMS status) | 37 |
| 4.2.29 EF _{SDN} (Service Dialling Numbers)..... | 38 |
| 4.2.30 EF _{EXT2} (Extension2)..... | 39 |
| 4.2.31 EF _{EXT3} (Extension3)..... | 39 |
| 4.2.32 EF _{SMSR} (Short message status reports)..... | 39 |
| 4.2.33 EF _{ICI} (Incoming Call Information)..... | 40 |
| 4.2.34 EF _{OCI} (Outgoing Call Information)..... | 43 |
| 4.2.35 EF _{ICT} (Incoming Call Timer) | 44 |
| 4.2.36 EF _{OCT} (Outgoing Call Timer) | 45 |
| 4.2.37 EF _{EXT5} (Extension5)..... | 46 |
| 4.2.38 EF _{CCP2} (Capability Configuration Parameters 2) | 46 |
| 4.2.39 EF _{eMLPP} (enhanced Multi Level Precedence and Pre-emption)..... | 46 |

| | | |
|----------|---|----|
| 4.2.40 | EF _{AAcM} (Automatic Answer for eMLPP Service)..... | 48 |
| 4.2.41 | Void | 48 |
| 4.2.42 | EF _{Hiddenkey} (Key for hidden phone book entries) | 48 |
| 4.2.43 | Void | 49 |
| 4.2.44 | EF _{BDN} (Barred Dialling Numbers)..... | 49 |
| 4.2.45 | EF _{EXT4} (Extension4)..... | 49 |
| 4.2.46 | EF _{CMi} (Comparison Method Information) | 50 |
| 4.2.47 | EF _{EST} (Enabled Services Table)..... | 50 |
| 4.2.48 | EF _{ACL} (Access Point Name Control List) | 51 |
| 4.2.49 | EF _{DCK} (Depersonalisation Control Keys) | 51 |
| 4.2.50 | EF _{CNL} (Co-operative Network List)..... | 52 |
| 4.2.51 | EF _{START-HFN} (Initialisation values for Hyperframe number)..... | 53 |
| 4.2.52 | EF _{THRESHOLD} (Maximum value of START)..... | 54 |
| 4.2.53 | EF _{OPLMNwACT} (Operator controlled PLMN selector with Access Technology)..... | 54 |
| 4.2.54 | EF _{HPLMNwACT} (HPLMN selector with Access Technology) | 55 |
| 4.2.55 | EF _{ARR} (Access Rule Reference)..... | 55 |
| 4.2.56 | Void | 56 |
| 4.2.57 | EF _{NETPAR} (Network Parameters) | 56 |
| 4.2.58 | EF _{PNN} (PLMN Network Name) | 58 |
| 4.2.59 | EF _{OPL} (Operator PLMN List)..... | 59 |
| 4.2.60 | EF _{MBDN} (Mailbox Dialling Numbers) | 59 |
| 4.2.61 | EF _{EXT6} (Extension6)..... | 60 |
| 4.2.62 | EF _{MBI} (Mailbox Identifier)..... | 60 |
| 4.2.63 | EF _{MWIS} (Message Waiting Indication Status) | 61 |
| 4.2.64 | EF _{CFIS} (Call Forwarding Indication Status)..... | 62 |
| 4.2.65 | EF _{EXT7} (Extension7)..... | 64 |
| 4.2.66 | EF _{SPDI} (Service Provider Display Information) | 64 |
| 4.2.67 | EF _{MMSN} (MMS Notification)..... | 65 |
| 4.2.68 | EF _{EXT8} (Extension 8) | 66 |
| 4.2.69 | EF _{MMSICP} (MMS Issuer Connectivity Parameters) | 67 |
| 4.2.70 | EF _{MMSUP} (MMS User Preferences) | 69 |
| 4.2.71 | EF _{MMSUCP} (MMS User Connectivity Parameters) | 70 |
| 4.2.72 | EF _{NIA} (Network's Indication of Alerting) | 71 |
| 4.2.73 | EF _{VGCS} (Voice Group Call Service)..... | 72 |
| 4.2.74 | EF _{VGCS} (Voice Group Call Service Status) | 73 |
| 4.2.75 | EF _{VBS} (Voice Broadcast Service)..... | 74 |
| 4.2.76 | EF _{VBS} (Voice Broadcast Service Status)..... | 76 |
| 4.2.77 | EF _{VGCSA} (Voice Group Call Service Cipherring Algorithm) | 76 |
| 4.2.78 | EF _{VBSA} (Voice Broadcast Service Cipherring Algorithm)..... | 77 |
| 4.2.79 | EF _{GBABP} (GBA Bootstrapping parameters) | 78 |
| 4.2.80 | EF _{MSK} (MBMS Service Keys List) | 78 |
| 4.2.81 | EF _{MUK} (MBMS User Key)..... | 79 |
| 4.2.82 | EF _{EHPLMN} (Equivalent HPLMN) | 80 |
| 4.3 | DFs at the USIM ADF (Application DF) Level | 80 |
| 4.4 | Contents of DFs at the USIM ADF (Application DF) level..... | 81 |
| 4.4.1 | Contents of files at the DF SoLSA level..... | 81 |
| 4.4.1.1 | EF _{SAI} (SoLSA Access Indicator)..... | 81 |
| 4.4.1.2 | EF _{SLL} (SoLSA LSA List) | 81 |
| 4.4.1.3 | LSA Descriptor files | 84 |
| 4.4.2 | Contents of files at the DF PHONEBOOK level..... | 85 |
| 4.4.2.1 | EF _{PBR} (Phone Book Reference file) | 85 |
| 4.4.2.2 | EF _{IAP} (Index Administration Phone book) | 87 |
| 4.4.2.3 | EF _{ADN} (Abbreviated dialling numbers) | 88 |
| 4.4.2.4 | EF _{EXT1} (Extension1)..... | 91 |
| 4.4.2.5 | EF _{PBC} (Phone Book Control)..... | 93 |
| 4.4.2.6 | EF _{GRP} (Grouping file)..... | 93 |
| 4.4.2.7 | EF _{AAS} (Additional number Alpha String)..... | 94 |
| 4.4.2.8 | EF _{GAS} (Grouping information Alpha String) | 94 |
| 4.4.2.9 | EF _{ANR} (Additional Number)..... | 95 |
| 4.4.2.10 | EF _{SNE} (Second Name Entry)..... | 97 |
| 4.4.2.11 | EF _{CCP1} (Capability Configuration Parameters 1)..... | 97 |
| 4.4.2.12 | Phone Book Synchronisation | 98 |

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.