

3GPP TS 31.102 v5.3.0 (2002-12)

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Terminals; Characteristics of the USIM Application (Release 5)



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.
The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented.
This Specification is provided for future development work within 3GPP only. The Organisational Partners accept no liability for any use of this Specification.
Specifications and reports for implementation of the 3GPP™ system should be obtained via the 3GPP Organisational Partners' Publications Offices.

Keywords

UMTS, SIM, card

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2002, 3GPP Organizational Partners (ARIB, CWTS, ETSI, T1, TTA, TTC).
All rights reserved.

Contents

Foreword	8
Introduction	8
1 Scope	9
2 References	9
3 Definitions, symbols, abbreviations and coding conventions	11
3.1 Definitions	11
3.2 Symbols.....	11
3.3 Abbreviations.....	11
3.4 Coding Conventions	12
4 Contents of the Files.....	13
4.1 Contents of the EFs at the MF level.....	13
4.1.1 EF _{DIR}	13
4.1.2 EF _{ICCID} (ICC Identity)	14
4.1.3 EF _{PL} (Preferred Languages).....	14
4.1.4 EF _{ARR} (Access Rule Reference)	14
4.2 Contents of files at the USIM ADF (Application DF) level.....	14
4.2.1 EF _{LI} (Language Indication).....	14
4.2.2 EF _{IMSI} (IMSI).....	15
4.2.3 EF _{Keys} (Ciphering and Integrity Keys).....	16
4.2.4 EF _{KeysPS} (Ciphering and Integrity Keys for Packet Switched domain).....	17
4.2.5 EF _{PLMNwAcT} (User controlled PLMN selector with Access Technology).....	17
4.2.6 EF _{HPLMN} (HPLMN search period)	18
4.2.7 EF _{ACMmax} (ACM maximum value)	19
4.2.8 EF _{UST} (USIM Service Table)	20
4.2.9 EF _{ACM} (Accumulated Call Meter)	22
4.2.10 EF _{GID1} (Group Identifier Level 1).....	23
4.2.11 EF _{GID2} (Group Identifier Level 2).....	23
4.2.12 EF _{SPN} (Service Provider Name).....	23
4.2.13 EF _{PUCT} (Price per Unit and Currency Table).....	24
4.2.14 EF _{CBMI} (Cell Broadcast Message identifier selection).....	25
4.2.15 EF _{ACC} (Access Control Class)	26
4.2.16 EF _{FPLMN} (Forbidden PLMNs)	26
4.2.17 EF _{LOCI} (Location Information)	27
4.2.18 EF _{AD} (Administrative Data).....	28
4.2.19 void.....	29
4.2.20 EF _{CBMD} (Cell Broadcast Message Identifier for Data Download).....	29
4.2.21 EF _{ECC} (Emergency Call Codes)	30
4.2.22 EF _{CBMIR} (Cell Broadcast Message Identifier Range selection).....	31
4.2.23 EF _{PSLOCI} (Packet Switched location information)	32
4.2.24 EF _{FDN} (Fixed Dialling Numbers).....	33
4.2.25 EF _{SMS} (Short messages)	34
4.2.26 EF _{MSISDN} (MSISDN)	35
4.2.27 EF _{SMSP} (Short message service parameters)	35
4.2.28 EF _{SMSS} (SMS status)	37
4.2.29 EF _{SDN} (Service Dialling Numbers)	37
4.2.30 EF _{EXT2} (Extension2).....	38
4.2.31 EF _{EXT3} (Extension3).....	38
4.2.32 EF _{SMSR} (Short message status reports)	39
4.2.33 EF _{ICI} (Incoming Call Information)	39
4.2.34 EF _{FOCI} (Outgoing Call Information)	43
4.2.35 EF _{ICT} (Incoming Call Timer)	43
4.2.36 EF _{OCT} (Outgoing Call Timer)	44
4.2.37 EF _{EXT5} (Extension5).....	45
4.2.38 EF _{CCP2} (Capability Configuration Parameters 2)	45

4.2.39	EF _{eMLPP} (enhanced Multi Level Precedence and Pre-emption)	46
4.2.40	EF _{AAeM} (Automatic Answer for eMLPP Service).....	47
4.2.41	Void.....	48
4.2.42	EF _{Hiddenkey} (Key for hidden phone book entries)	48
4.2.43	void.....	48
4.2.44	EF _{BDN} (Barred Dialling Numbers).....	48
4.2.45	EF _{EXT4} (Extension4).....	49
4.2.46	EF _{CMI} (Comparison Method Information).....	49
4.2.47	EF _{EST} (Enabled Services Table).....	50
4.2.48	EF _{ACL} (Access Point Name Control List).....	50
4.2.49	EF _{DCK} (Depersonalisation Control Keys).....	51
4.2.50	EF _{CNL} (Co-operative Network List)	51
4.2.51	EF _{START-HFN} (Initialisation values for Hyperframe number)	53
4.2.52	EF _{THRESHOLD} (Maximum value of START).....	53
4.2.53	EF _{OPLMNwACT} (Operator controlled PLMN selector with Access Technology).....	53
4.2.54	EF _{HPLMNwAcT} (HPLMN selector with Access Technology).....	54
4.2.55	EF _{ARR} (Access Rule Reference)	55
4.2.56	EF _{RPLMNACT} (RPLMN Last used Access Technology).....	55
4.2.57	EF _{NETPAR} (Network Parameters)	56
4.2.58	EF _{PNN} (PLMN Network Name)	58
4.2.59	EF _{OPL} (Operator PLMN List).....	59
4.2.60	EF _{MBDN} (Mailbox Dialling Numbers).....	60
4.2.61	EF _{EXT6} (Extension6).....	61
4.2.62	EF _{MBI} (Mailbox Identifier).....	61
4.2.63	EF _{MWIS} (Message Waiting Indication Status)	62
4.2.64	EF _{FCFIS} (Call Forwarding Indication Status).....	63
4.2.65	EF _{EXT7} (Extension7).....	64
4.2.66	EF _{SPDI} (Service Provider Display Information)	64
4.2.67	EF _{MMSN} (MMS Notification).....	65
4.2.68	EF _{EXT8} (Extension 8).....	67
4.2.69	EF _{MMSICP} (MMS Issuer Connectivity Parameters)	67
4.2.70	EF _{MMSUP} (MMS User Preferences)	69
4.2.71	EF _{MMSUCP} (MMS User Connectivity Parameters)	70
4.3	DFs at the USIM ADF (Application DF) Level	70
4.4	Contents of DFs at the USIM ADF (Application DF) level.....	71
4.4.1	Contents of files at the DF SoLSA level	71
4.4.2	Contents of files at the DF PHONEBOOK level.....	71
4.4.2.1	EF _{PBR} (Phone Book Reference file).....	71
4.4.2.2	EF _{IAP} (Index Administration Phone book).....	74
4.4.2.3	EF _{ADN} (Abbreviated dialling numbers)	74
4.4.2.4	EF _{EXT1} (Extension1).....	77
4.4.2.5	EF _{PBC} (Phone Book Control)	79
4.4.2.6	EF _{GRP} (Grouping file)	79
4.4.2.7	EF _{FAAS} (Additional number Alpha String).....	80
4.4.2.8	EF _{GAS} (Grouping information Alpha String).....	80
4.4.2.9	EF _{ANR} (Additional Number)	81
4.4.2.10	EF _{SNE} (Second Name Entry)	83
4.4.2.11	EF _{CCP1} (Capability Configuration Parameters 1)	84
4.4.2.12	Phone Book Synchronisation.....	84
4.4.2.12.1	EF _{UID} (Unique Identifier)	84
4.4.2.12.2	EF _{PSC} (Phone book Synchronisation Counter)	85
4.4.2.12.3	EF _{CC} (Change Counter).....	86
4.4.2.12.4	EF _{PUID} (Previous Unique Identifier)	87
4.4.2.13	EF _{EMAIL} (e-mail address).....	87
4.4.2.14	Phonebook restrictions.....	88
4.4.3	Contents of files at the DF GSM-ACCESS level (Files required for GSM Access)	89
4.4.3.1	EF _{Kc} (GSM Ciphering key Kc).....	89
4.4.3.2	EF _{KcGPRS} (GPRS Ciphering key KcGPRS).....	90
4.4.3.3	Void 90	
4.4.3.4	EF _{CPBCC} (CPBCCCH Information).....	90
4.4.3.5	EF _{InvScan} (Investigation Scan).....	91

4.4.4	Contents of files at the MExE level.....	92
4.4.4.1	EF _{MExE-ST} (MExE Service table).....	92
4.4.4.2	EF _{OPRK} (Operator Root Public Key).....	92
4.4.4.3	EF _{APRK} (Administrator Root Public Key).....	94
4.4.4.4	EF _{TPRPK} (Third Party Root Public Key).....	95
4.4.4.5	EF _{TKCDF} (Trusted Key/Certificates Data Files).....	96
4.5	Contents of EFs at the TELECOM level	96
4.5.1	EF _{ADN} (Abbreviated dialling numbers)	96
4.5.2	EF _{EXT1} (Extension1).....	96
4.5.3	EF _{ECCP} (Extended Capability Configuration Parameter)	96
4.5.4	EF _{SUME} (SetUpMenu Elements)	97
4.5.5	EF _{ARR} (Access Rule Reference)	97
4.6	Contents of DFs at the TELECOM level.....	98
4.6.1	Contents of files at the DF _{GRAPHICS} level.....	98
4.6.1.1	EF _{IMG} (Image)	98
4.6.1.2	Image Instance Data Files.....	99
4.6.2	Contents of files at the DF _{PHONEBOOK} under the DF _{TELECOM}	100
4.7	Files of USIM	101
5	Application protocol.....	103
5.1	USIM management procedures	103
5.1.1	Initialisation	103
5.1.1.1	USIM application selection	103
5.1.1.2	USIM initialisation	104
5.1.1.3	GSM related initialisation procedures.....	105
5.1.2	Session termination.....	105
5.1.2.1	3G session termination	105
5.1.2.2	GSM termination procedures.....	105
5.1.3	USIM application closure.....	106
5.1.4	Emergency call codes	106
5.1.5	Language indication.....	106
5.1.6	Administrative information request.....	106
5.1.7	USIM service table request.....	106
5.1.8	Spare.....	106
5.1.9	UICC presence detection	106
5.2	USIM security related procedures.....	106
5.2.1	Authentication algorithms computation.....	106
5.2.2	IMSI request.....	106
5.2.3	Access control information request.....	107
5.2.4	HPLMN search period request	107
5.2.5	Location information	107
5.2.6	Cipher and Integrity key	107
5.2.7	Forbidden PLMN	107
5.2.8	Void	107
5.2.9	User Identity Request.....	107
5.2.10	GSM Cipher key	107
5.2.11	GPRS Cipher key	107
5.2.12	Initialisation value for Hyperframe number.....	107
5.2.13	Maximum value of START	108
5.2.14	HPLMN selector with Access Technology request	108
5.2.15	Packet Switched Location information	108
5.2.16	Cipher and Integrity key for Packet Switched domain	108
5.3	Subscription related procedures	108
5.3.1	Phone book procedures.....	108
5.3.1.1	Initialisation	108
5.3.1.2	Creation/Deletion of information	108
5.3.1.3	Hidden phone book entries	108
5.3.2	Dialling numbers.....	108
5.3.3	Short messages.....	110
5.3.4	Advice of charge	111
5.3.5	Capability configuration parameters	111

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.