

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
9 January 2003 (09.01.2003)

PCT

(10) International Publication Number
WO 03/002136 A2

(51) International Patent Classification⁷: **A61K 38/00**

Richsvej, DK-2000 Frederiksberg (DK). **ENGELUND, Dorte, Kot**; 39 Gassehaven, DK-2840 Holte (DK).

(21) International Application Number: PCT/DK02/00437

(22) International Filing Date: 27 June 2002 (27.06.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

PA 2001 01010	28 June 2001 (28.06.2001)	DK
PA 2001 01011	28 June 2001 (28.06.2001)	DK
PA 2001 01053	4 July 2001 (04.07.2001)	DK
PA 2001 01052	4 July 2001 (04.07.2001)	DK
PA 2002 00093	18 January 2002 (18.01.2002)	DK
PA 2002 00092	18 January 2002 (18.01.2002)	DK

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant: **NOVO NORDISK A/S** [DK/DK]; Novo Allé, DK-2880 Bagsvaerd (DK).

Published:

— without international search report and to be republished upon receipt of that report

(72) Inventors: **FLINK, James, M**; 76, st.th. Taarbaek Strandvej, DK-2930 Klampenborg (DK). **LARSEN, Silke, Møller**; 10, 1.mf, Ejgaardsvej, DK-2920 Charlottenlund (DK). **JENSEN, Simon, Bjerregaard**; 103A, 5.th., C.F.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: STABLE FORMULATION OF MODIFIED GLP-1

(57) Abstract: Pharmaceutical formulations of GLP-1 compounds and methods for preparation thereof.

WO 03/002136 A2

STABLE FORMULATION OF MODIFIED GLP-1**Field of the invention**

The present invention relates to pharmaceutical formulations comprising GLP-1 compounds, uses thereof and methods for preparing said formulations.

Background of the invention

Peptides are widely used in medical practice, and since they can be produced by recombinant DNA technology it can be expected that their importance will increase also in the years to come.

The hormones regulating insulin secretion belong to the so-called enteroinsular axis, designating a group of hormones, released from the gastrointestinal mucosa in response to the presence and absorption of nutrients in the gut, which promote an early and potentiated release of insulin. The enhancing effect on insulin secretion, the so-called incretin effect, is probably essential for a normal glucose tolerance. Many of the gastrointestinal hormones, including gastrin and secretin (cholecystokinin is not insulinotropic in man), are insulinotropic, but the only physiologically important ones, those that are responsible for the incretin effect, are the glucose-dependent insulinotropic polypeptide, GIP, and glucagon-like peptide-1 (GLP-1). Because of its insulinotropic effect, GIP, isolated in 1973 immediately attracted considerable interest among diabetologists. However, numerous investigations carried out during the following years clearly indicated that a defective secretion of GIP was not involved in the pathogenesis of insulin dependent diabetes mellitus (IDDM) or non insulin-dependent diabetes mellitus (NIDDM). Furthermore, as an insulinotropic hormone, GIP was found to be almost ineffective in NIDDM. The other incretin hormone, GLP-1 is the most potent insulinotropic substance known. Unlike GIP, it is surprisingly effective in stimulating insulin secretion in NIDDM patients. In addition, and in contrast to the other insulinotropic hormones (perhaps with the exception of secretin) it also potently inhibits glucagon secretion. Because of these actions it has pronounced blood glucose lowering effects particularly in patients with NIDDM.

GLP-1, a product of the proglucagon, is one of the youngest members of the secretin-VIP family of peptides, but is already established as an important gut hormone with regulatory function in glucose metabolism and gastrointestinal secretion and metabolism. The glucagon gene is processed differently in the pancreas and in the intestine. In the pancreas, the processing leads to the formation and parallel secretion of 1) glucagon itself, oc-

cupying positions 33-61 of proglucagon (PG); 2) an N-terminal peptide of 30 amino acids (PG (1-30)) often called glicentin-related pancreatic peptide, GRPP; 3) a hexapeptide corresponding to PG (64-69); 4) and, finally, the so-called major proglucagon fragment (PG (72-158)), in which the two glucagon-like sequences are buried. Glucagon seems to be the only
5 biologically active product. In contrast, in the intestinal mucosa, it is glucagon that is buried in a larger molecule, while the two glucagon-like peptides are formed separately.

While much attention has been focused on the pharmacological properties of acylated GLP-1 compounds, hitherto little is known about their physico-chemical and solution structural properties. Such knowledge is a prerequisite for rational handling during e.g. production, purification and formulation work and is eventually important for understanding of the
10 structural basis for the protraction mechanism.

It is an important technical challenge to ensure prolonged stability during storage (shelf life) of many protein based drug products due to the inherent lability of macromolecules. Hence, proteins are sensitive to both chemical and physical degradation unlike many
15 small molecules. Chemical degradation involves covalent bonds, such as hydrolysis, racemization, oxidation or crosslinking. Physical degradation involves conformational changes relative to the native structure, which includes loss of higher order structure, aggregation, precipitation or adsorption to surfaces. GLP-1 is known to be prone to instability due to aggregation. Both degradation pathways may ultimately lead to loss of biological activity of the protein
20 drug.

GLP-1 and analogues of GLP-1 and fragments thereof are potentially useful *i.a.* in the treatment of type 1 and type 2 diabetes. However, solubility limitations and the low stability against the actions of endogenous diaminopeptidyl peptidase limits the usefulness of these compounds, and thus there still is a need for improvements in this field.

25 In WO 99/43341 are disclosed certain pharmaceutical formulations comprising GLP-1 having a lipophilic substituent. All of the disclosed formulations are maintained at pH 7.4.

In WO 00/37098 are disclosed shelf-stable formulations comprising GLP-1, a preservative, and a tonicity modifier, at pH 8.2 to 8.8.

30 Human GLP-1 is a 37 amino acid residue peptide originating from preproglucagon which is synthesised *i.a.* in the L-cells in the distal ileum, in the pancreas and in the brain. Processing of preproglucagon to give GLP-1(7-36)amide, GLP-1(7-37) and GLP-2 occurs mainly in the L-cells. A simple system is used to describe fragments and analogues of this peptide. Thus, for example, Val⁸-GLP-1(7-37) (or Val⁸GLP-1(7-37)) designates a fragment of GLP-1 formally derived from GLP-1 by deleting the amino acid residues Nos. 1 to 6 and substituting the naturally
35 occurring amino acid residue in position 8 (Ala) by Val. Similarly, Lys³⁴(N⁸-tetradecanoyl)-GLP-

1(7-37) designates GLP-1(7-37) wherein the ϵ -amino group of the Lys residue in position 34 has been tetradecanoylated. For convenience the amino acid sequence of GLP-1 (7-37) is given below, wherein the N-terminal His is no. 7 and the C-terminal Gly is no. 37:

5 His-Ala-Glu-Gly-Thr-Phe-Thr-Ser-Asp-Val-Ser-
 Ser-Tyr-Leu-Glu-Gly-Gln-Ala-Ala-Lys-Glu-Phe-
 Ile-Ala-Trp-Leu-Val-Lys-Gly-Arg-Gly.

Where reference in this text is made to C-terminally extended GLP-1 analogues, the amino acid residue in position 38 is Arg unless otherwise indicated, the optional amino acid residue in position 39 is also Arg unless otherwise indicated and the optional amino acid residue in position 40 is Asp unless otherwise indicated. Also, if a C-terminally extended analogue extends to position 41, 42, 43, 44 or 45, the amino acid sequence of this extension is as in the corresponding sequence in human preproglucagon unless otherwise indicated.

15

Summary of the invention

We have discovered that certain modified GLP-1 or analogues thereof when formulated in aqueous solution together with a buffer, are physically stable at high concentrations of the modified GLP-1 or analogues thereof, when kept in the pH range from about 7 to about 10. The present formulations are physically stable within a given shelf life period at the recommended storage temperature (typically 2-3 years at 2-8°C). Furthermore, the present formulations are physically stable during in-use (typically 1 month at accelerated temperatures e.g. 25°C or 37°C). The formulations of the invention are also chemically stable thus rendering them shelf-stable and suitable for invasive (eg. injection, subcutaneous injection, intramuscular, intravenous or infusion) as well as non-invasive (eg nasal or pulmonary, transdermal or transmucosal e.g. buccal) means of administration. When the inventive formulation comprising a GLP-1 compound was compared to the same formulation comprising GLP-1(7-37) substituted for the GLP-1 compound, the physical stability was increased considerably, and typically the shelf-life was increased from a few seconds to several months in the tests used.

30

One object of the present invention is to provide a pharmaceutical formulation comprising a GLP-1 compound, and a buffer, wherein said GLP-1 compound is GLP-1(7-37) or an analogue thereof wherein an amino acid residue of the parent peptide has a lipophilic substituent attached optionally via a spacer, wherein said GLP-1 compound is present in a con-

35

centration from 0.1 mg/ml to 100 mg/ml, and wherein said formulation has a pH from 7.0 to 10;

Another object of the present invention is to provide a method of preparing a physically stable pharmaceutical formulation of a GLP-1 compound wherein said GLP-1 compound is GLP-1(7-37) or an analogue thereof wherein an amino acid residue of the parent peptide has a lipophilic substituent attached optionally via a spacer, comprising preparing a formulation containing the GLP-1 compound, and a buffer, wherein said GLP-1 compound is present in a concentration from 0.1 mg/ml to 100 mg/ml, and wherein said formulation has a pH from 7.0 to 10.

In one aspect of the invention the formulation contains a GLP-1 compound in a concentration from 1 mg/ml to 100 mg/ml.

In another aspect of the invention the formulation has a pH from 7.5 to 10.

In one embodiment the GLP-1 compound is Arg³⁴, Lys²⁶(N-ε-(γ-Glu(N-α-hexadecanoyl)))-GLP-1(7-37).

Description of the invention

In one aspect the invention relates to a pharmaceutical formulation comprising a GLP-1 compound, and a buffer, wherein said GLP-1 compound is GLP-1(7-37) or an analogue thereof wherein an amino acid residue of the parent peptide has a lipophilic substituent attached optionally via a spacer, wherein said GLP-1 compound is present in a concentration from 0.1 mg/ml to 100 mg/ml, and wherein said formulation has a pH from 7.0 to 10;

provided that if an isotonic agent is present and pH is 7.4 then mannitol or NaCl is not the isotonic agent.

In another aspect the invention relates to a pharmaceutical formulation comprising a GLP-1 compound, and a buffer, wherein said GLP-1 compound is GLP-1(7-37) or an analogue thereof wherein an amino acid residue of the parent peptide has a lipophilic substituent attached optionally via a spacer, wherein said GLP-1 compound is present in a concentration from 1 mg/ml to 100 mg/ml, and wherein said formulation has a pH from 7.0 to 10;

provided that if an isotonic agent is present and pH is 7.4 then mannitol or NaCl is not the isotonic agent.

In a further aspect the invention relates to a pharmaceutical formulation comprising a GLP-1 compound, and a buffer, wherein said GLP-1 compound is GLP-1(7-37) or an analogue thereof wherein an amino acid residue of the parent peptide has a lipophilic substituent attached optionally via a spacer, wherein said GLP-1 compound is present in a concentration from 0.1 mg/ml or above, and wherein said formulation has a pH from 7.0 to 10.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.