

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

US Patent No.: 8,876,991
Issued: November 4, 2014
Applicants: Neill H. Luebke
Serial No.: 14/167,311
Filed: January 29, 2014
Docket: 115207.00011
Title: Dental and Medical Instruments Comprising Titanium

Request for Certificate of Correction

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Accompanying this Request for a Certificate of Correction is a completed form PTO/SB/44, entitled Certificate of Correction. In reviewing the above-referenced patent, a printing error was discovered in the specification. This correction does not affect the integrity of the patent itself. No new matter has been entered in this application.

Issuance of a Certificate of Correction for this patent is, therefore, requested. It is believed the listed error is not due to Applicant, and that no fee is due. If this is not correct, and a fee is required, please charge Deposit Account No. 17-0055 in the amount of the fee.

Respectfully submitted,

Neill H. Luebke

Date: March 26, 2015

By: /Richard T. Roche/
Richard T. Roche, Reg. No. 38,599
Quarles & Brady, LLP
411 East Wisconsin Avenue
Suite 2350
Milwaukee, WI 53202
Tel. (414) 277-5805

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 8,876,991

APPLICATION NO.: 14/167,311

ISSUE DATE : January 29, 2014

INVENTOR(S) : Dr. Neill H. Luebke

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the specification:

Column 4, line 41: "0.25i" should be --0.2Si--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Richard T. Roche, Quarles & Brady LLP
411 East Wisconsin Avenue
Milwaukee, WI 53202

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.