

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s):	David C. Parks et al.	Examiner:	SEMICK, Joshua T
Patent No.:	10,472,938	Art Unit:	3641
Issued:	11/12/2019	Confirmation No.:	9246
Title:	PERFORATION GUN COMPONENTS AND SYSTEM	Atty Docket No.:	DMC007USCon3

Commissioner for Patents
Office of Data Management Attention: Certificates of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR EXPEDITED ISSUANCE OF CERTIFICATE OF
CORRECTION OF OFFICE MISTAKE UNDER 37 C.F.R. § 1.322**

Dear Sir:

This is responsive to the issuance of United States Patent No. 10,472,938 (“the ’938 patent”) issued November 12, 2019. Patent Owner respectfully submits that the ’938 patent includes errors on behalf of the Office and requests expedited issuance of a Certificate of Correction for correcting the mistakes. In support of this Request and pursuant to 37 C.F.R. § 1.322, Patent Owner is submitting with this letter:

- 1) an annotated copy of the ’938 patent as issued;
- 2) a copy of the Amendment and Request for Reconsideration (“Amendment”), including Amendments to the Claims, filed May 21, 2019 in U.S. Application No. 16/539,540 (“the ’540 Application”) that matured into the ’938 patent;
- 3) a copy of the Notice of Allowance and Notice of Allowability mailed September 11, 2019 for the ’540 Application;
- 4) a true and correct copy of the Application Data Sheet dated March 20, 2019 for the ’540 Application;
- 5) a true and correct copy of the Filing Receipt mailed April 9, 2019 for the ’540 Application; and,
- 6) PTO form SB/44 identifying the subject mistakes for correction.

As shown and identified in the attached materials, the '938 patent claims in the issued patent contain inconsistencies with respect to the listing of claims in the Amendment filed May 21, 2019, to which the Notice of Allowability was responsive.

CONCLUSION

For at least the reasons expressed above and apparent from the attached materials, Patent Owner respectfully requests prompt issuance of a Certificate of Correction for the '938 patent.

No fee is believed due. However, Patent Owner authorizes the Commissioner to charge any deficiency to Deposit Account Number 600151, with reference to the above-referenced attorney docket number.

Patent Owner invites the Office to contact Patent Owner's representative at the contact information listed below, in the event that the Office believes a discussion would accelerate issuance of the requested Certificate of Correction.

Respectfully submitted,

By: /Jason M. Rockman/
Jason M. Rockman
Attorney for Patent Owner
Reg. No.: 63,473

Moyles IP, LLC
1 Enterprise Drive, Suite 428
Shelton, CT 06484
T: (203) 428-4420
F: (866) 250-1636

February 4, 2020