Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

	Page 1 of 1
PATENT NO. : 10,322,315	Page <u>1</u> of <u>1</u>
APPLICATION NO.: 16/036,894	
SSUE DATE : June 18, 2019	
NVENTOR(S) : John Paul Foley and Hans Schlichting Woolley	
It is certified that an error appears or errors appear in the above-identified patent and the shereby corrected as shown below:	hat said Letters Patent
In the first page, under (72): "John Paul Foley, New York, NY (US); Thomas Philip Cortese, Yu Feng, New York, NY (US); Christopher Brett Sira, New York, NY (US); Hans Schlichting Hollywood, CA (US)"	, Brooklyn, NY (US); 3 Woolley, West
should read	
John Paul Foley, New York, NY (US); Hans Schlichting Woolley, West Hollywood, CA (US	S)
- <u> </u>	

MAILING ADDRESS OF SENDER (Please do not use Customer Number below):

Haynes and Boone, LLP 2323 Victory Ave., Suite 700 Dallas, TX 75219

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

